INDEX TO VOLUME 55

The asterisk (*) preceding the page number indicates an original article. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries and Society Transactions are indexed under the letters B, O and S, respectively.

Abdomen: See also Gastrointestinal Tract; Peritoneum
enlargements in children; diagnosis, 877
pain, recurrent in childhood, 219

Abnormalities and Deformities: See also Monsters; and under names of diseases, organs and regions, as Anus, imperforate; Esophagus, atresia; Fingers and Toes, abnormalities; Heart, abnormalities; Heart, displacements; etc.
congenital absence of anus and rectum, with fistulous tract into prostatic urethra, associated with dextrocardia, 1060
deformities of childhood, 440
incidence of human malformations and significance of changes in maternal environment in their causation, 1315
multiple congenital deformities; hand with 5 fingers and without thumb, 607
preventive therapy and orthopedics for children, especially those with congenital malformations, 442
relation of endocrine disturbances to certain heredodegenerative symptoms, *231

Abramson, H.: Epidemic diarrhea of newborn; clinical considerations, *1288

Abscess: See also under names of organs and regions, as Appendix, abscess; Brain, abscess; Lungs, abscess; etc.
peritonsillar, simulated by diphtheria; dangers of incision, 403
peritonsillar; treatment by tonsillectomy, 1082
subdural; infections with S. suipestifer (hog-cholera bacillus) in childhood; report of case of bilateral subdural abscess ending in recovery, *553

Acacia, Therapy: See under Nephritis

Acetarsone, Therapy: See under Syphilis, congenital
toxicity; flaccid paralysis following stovarsol treatment of amebic dysentery, 175

Acetone in Blood: See Blood, ketone bodies
in Urine: See Urine, ketone bodies

Achondroplasia, condition resembling chondrodystrophia, 1103
hereditary, and cesarean sections in mother and daughter, 1102

Achylia Gastrica: See Stomach, achylia

Acid, Ascorbic: See Scurvy; Vitamins, C
Cevitamic: See Acid, Ascorbic

Acid-Base Equilibrium, in epilepsy, 632
regulation by diet, 1312

Acidosis, Therapeutic: See under Epilepsy

Acne, vaccine treatment, 650
vulgaris, observations on, 1106

Acrocephaly; acrodysplasia of syndactylic oxycephaly type, 402
hereditary craniofacial dysostosis and tower head, 1316

Acrodynia, 215
acropathologic syndrome with disturbances of personality, tremor, loss of reflexes and tachycardia; slow regression; undetermined etiology, 651
case of pink disease, 1108
case report, 1108

Actinomycosis, pulmonary, 182
studies on B. necrophorum isolated in cases of chronic ulcerative colitis, 421

Adams-Stokes Disease: See Heart, block

Adaptation, studies, 443

Addis Sedimentation Count: See under Urine

Addison's disease, epinephrine need in man; effect of epinephrine on blood pressure at different pressure heights, 433

Adenitis: See under Lymph Nodes

Adenoids, adenoidectomy; indications and contraindications, 857
bacteremias after adenoidectomy, 191
significance of adenoidectomy in diphtheria carriers, 1069

Adenoma of liver, *792
of rectum in children; report of case in 30 month old girl, 1351

Adenopathy: See under Lymph Nodes

Adipose Tissue: See Fat; Lipoma; Obesity

Adiposogenital Syndrome: See Laurence-Biedl Syndrome

Adolescence, precocious; extirpation of huge pinealoma from patient with pubertas praecox; new operative approach, 205
precocious puberty following measles encephalomyelitis and epidemic encephalitis; relation of intracranial tumors and inflammatory processes to syndrome of macrogenitosomia praecox, 197
precocious puberty in female infant, 1097
precocious puberty, macrogenitosomia, 207
puberty and prognosis in rheumatic fever, 845

Adrenal Preparations, adrenal concentrate therapy for allergic conditions, 1126
adrenal cortex extract; evidence of protective influence of adrenal hormones against tuberculosis in guinea pigs, 414
adrenal extract causing luteinization of ovaries and endometrial hyperplasia, 872
effect of epinephrine on blood count and hematocrit values, 622

Adrenal Preparations—Continued
effects of adrenalin on skin reactions, 650
epinephrine need in man; effect of epinephrine on blood pressure at different pressure heights, 433
whole suprarenal gland; useful therapeutic agent, 1100
Adrenals, effects of stimulation of adrenal gland on its content of ascorbic acid, adrenalin and glutathione, 872
hemorrhage; adrenal apoplexy, 434
hemorrhage in children, 432
hemorrhage; Waterhouse-Friderichsen syndrome (renal apoplexy), 615
in diphtheria, 841
obesity of adrenal origin and cutaneous dystrophy, 210
pathology in relation to sudden death, 209
surgery; effect of adrenalectomy on ketonuria and liver fat content of albino rat after injections of anterior pituitary extract, 871
tuberculosis of; effect of epinephrine on blood pressure at different pressure heights, 433
tumor; morphology of neuroblastoma of adrenal medulla, 1100
Aerophagy, pathologic, in infancy, 194
Agranulocytosis: See Angina, agranulocytic
Air: See also Open Air Treatment
air-borne infections, *589
Conditioning: See Ventilation
sterilization with ultraviolet radiation, *591
Albumin: See under Blood, proteins
Alcoholism; alcohol intoxication in babies, 878
Alimentary Tract: See Gastrointestinal Tract
Alimentary Intoxication: See Toxemia, alimentary
Alkali, therapy; experimental research on relation between modification of gastric chemism and cytohemopoiesis of young organisms, 1086
Allergy: See Anaphylaxis and Allergy; Asthma; Food, allergy; Hay Fever; etc.
Alpers, B. J.: Pathologic background of cerebral diplegia, *356
Alum: See Poliomyelitis, prevention
Amblyopia: See Blindness
Amebiasis, flaccid paralysis following stovarsol treatment of amebic dysentery, 175
ya tan tzu, new specific for amebic dysentery, 412
Amelia: See Extremities, abnormalities
Amentia: See Feeblemindedness: Idiocy; etc.
American Board of Pediatrics, examinations, 600, 825, 1058
physicians certified by, 163, 1308
American Bronchoscopic Society, meeting, 600
American Laryngological Association, meeting, 600
American Laryngological, Rhinological and Otological Society, Inc., meeting, 600
American Orthopsychiatric Association, annual meeting, 164
American Otological Society, meeting, 600
American Pediatric Society, new officers and members, 1058
Amino Acids, intravenous injection in regeneration of serum protein after severe experimental hemorrhage, 622
natural and synthetic, as influencing hemoglobin production in anemia, 622
Aminopyrine, effect of diet on susceptibility of canine hemopoietic system to damage by aminopyrine, 853
hypersensitivity and agranulocytosis, 623
Ammonium Mandelate: See Urinary Tract, infections
Amniotic Fluid, breathing of; normal function of fetal respiration, 828
relation to fetal respiratory movements, *1
Amyloidosis and chronic arthritis of children (Still's disease); pathologic study, *1000
Amytal: See under Barbital and Barbital Derivatives
Anaphylaxis and Allergy: See also Arthus Phenomenon; Asthma; Food, allergy; Hay Fever; etc.
Alimentary: See Food, allergy
allergic diathesis, 439
allergy in children, 649
allergy in dermatology; review of recent contributions, 439
anaphylactic shock, 1108
anaphylaxis and vitamin C, 650
attempt to produce atopic inhibitor antibody in nonatopic individuals, 216
colloidal instability of rabbit serum in active anaphylaxis, 877
effects of adrenalin on skin reactions, 650
fixed drug eruptions, 1106
gangrene following administration of horse serum; Arthus or Shwartzman phenomenon? 1018
immediate allergic response following Schick test, 610
immunologic relation between grass pollen and seed, 438
inheritance of allergic disease, 216
limitation of passive transfer in food-sensitive children, 650
neurologic complications following administration of vaccines and serums, 1064
sedimentation rate of red blood corpuscles in rabbit suffering from active anaphylaxis, 877
serum disease of nervous system, 424
serum sickness; treatment of serum serving to remove its sickness-causing activity, 650
therapy; adrenal concentrate therapy for allergic conditions, 1126
Ancylostomiasis: See Hookworm Infestation
Androgens, effects of synthetically prepared male hormone (androsterone) in rat, 206
testis hormone in relation to age, 1099
Androsterone: See Androgens
Anemia, Agranulocytic: See Angina, agranulocytic
aplastic, case of, 856
differential diagnosis, 853
early, of premature infants; hemoglobin level of babies in first 6 months of life; effect during first 3 months of blood injections and iron therapy, 401

Anemia—Continued
Erythroblastic: Pseudoleukemia, infantile
experimental; effect of diet on susceptibility of canine hemopoietic system to damage by aminopyrine, 853
experimental; effect of indole on hemopoiesis in dogs fed deficient diets, 853
hemolytic; acute anemic syndrome of Lederer in children, 622
hemolytic, acute, during treatment with sulfanilamide, 1330
hemolytic, subacute; diagnosed as pernicious anemia in infant, 418
hypochromic, of infants; comparison of efficacy of ferric and of ferrous iron, *1141
iron-deficiency anemia of late infancy, 186
macrocytic, caused by dietary deficiency, 418
nutritional, gastric acidity associated with, 186
nutritional; treatment with stable ferrous sulfate mixture in young children, 1331
pernicious; duration of life of erythrocytes before and after treatment with liver, 189
pernicious, in infant, 418
physiologic and nutritional anemias of infancy, 185
secondary; case of achylia gastrica with severe secondary anemia, 1087
therapy; hemopoietic activity of human liver, 863
therapy; human blood serum in treatment of anemia associated with jaundice in newborn, 621
therapy; retention of iron in childhood, 1311
therapy; transfusion of red blood cells, 1111
Anencephaly: See under Monsters
Anesthesia, administration of evipal soluble to infants and children, 1110
avertin; interruption of asthmatic crisis by tribromethanol (avertin), 438
encephalography with anesthetic gases, 424
for operations on babies with harelip and cleft palate, 441
in relation to fetal respiratory movements, *1
Aneurysm, carotid, diagnosis; value of tests of olfactory acuity, 1341
cirsoid aneurysm involving tongue and floor of mouth, 187
Angina, agranulocytic; agranulocytosis and hypersensitivity to aminopyrine, 623
pharyngitis and rhinopharyngitis, 625
Vincent's; erythema multiforme exsudativum accompanying oral Vincent's infection, *573
Angioendothelioma, massive cervical hemangioendothelioma in newly born, *124
multiple malignant hemangioendotheliomas in infant, *559
Anhidrosis: See Sweat Glands
Anomalies: See Abnormalities and Deformities; and under names of organs and regions
Anophthalmos: See Eyes, absence of
Anorexia: See Appetite
Anthelmintics: See Ascariasis; etc.
Anthropometry: See also under Body; Growth; etc.
analysis of bodily conformation in children, 835
Antibodies: See Antigens and Antibodies
Antigens and Antibodies: See Immunity; and under specific antigens and reactions, as Whooping Cough; etc.
Anus, imperforate; congenital absence of anus and rectum, with fistulous tract into prostatic urethra, associated with dextrocardia, 1060
vestibularis, or fistula rectovestibularis, diagnosed during labor, 402
Aorta, congenital stenosis of abdominal aorta, 619
Appendectomy, complications; postoperative pulmonary atelectasis, 625
Appendicitis, acute, in children, *511, 862
acute; diagnosis in children, 1335
acute; surgical management of appendicitis and its complications in children, 1335
appendical abscess, *515
diagnosis; topographic and anatomic point of twelfth intercostal nerve with reference to interpretation of localizing value of McBurney's point, 1309
in childhood, 1335
tuberculous, primary, and appendicitis complicating pulmonary tuberculosis, 420
Appendix, Abscess: See under Appendicitis
Appetite, causes and treatment of anorexia in children, 1087
prevention of appetite problems in childhood, 1095
Apples; apple diet for young infants, 1311
raw apple dietary in treatment of diarrhea complicating melena neonatorum, 1061
Arachnidism: See Spiders, bites
Arms: See Extremities; Humerus; etc.
Arrhythmia: See Heart, block; Heart, rate
Arteries: See also Aneurysm; Aorta; Blood, pressure; Pulse; etc.
renal; abnormal renal artery, 1097
Arthritis: See also Osteoarthritis; Rheumatism
acute hematogenous osteomyelitis with adjacent joint infection, 435
deformans, pathology of chronic arthritis of children (Still's disease), *1000
deformans; Still's disease, 648
osteoarthritis due to B. paratyphosus B in 3 infants, 1101
rheumatoid; chrysotherapy, 644
rheumatoid, excretion of vitamin C in, 833
rheumatoid, pathology of, 435
rheumatoid; virus in etiology of rheumatic diseases, 846
Arthus phenomenon, anaphylactic gangrene following administration of horse serum; Arthus or Shwartzman phenomenon? 1018
Ascariasis, control of fecal-borne diseases in North China; distribution of A. lumbricoides infestations in rural population, 412
vegetables as factor in spread of A. lumbricoides; control of fecal-borne diseases in North China, 1072
volvulus caused by enormous number of ascarids, 629
Ascites, tuberculous peritonitis of ascitic form in child 17 months old, 1329
Ascorbic Acid: See Acid, Ascorbic

Ash, R.: Influence of tonsillectomy on rheumatic infection, *63

Aspergillus, action of para-aminophenylsulfamine on molds, 1310

Asphyxia neonatorum: fat necrosis following massage and slapping, 609

Asthma: See also Anaphylaxis and Allergy
- interruption of asthmatic crisis by tribromethanol (avertin) anesthesia, 438
- skin sensitivity in asthmatic and control subjects, 876
- therapy; use of autogenous vaccines, 1127
- triplicate determinations of sugar tolerance in mild and severe asthma, 192

Astrocytoma, 1337

Atabrine: See Malaria, therapy

Ataxia, Friedreich's: See Ataxia, hereditary
- hereditary: cochleovestibular reactions in Friedreich's ataxia and similar heredodegenerative diseases, 200
- hereditary: 4 cases of Friedreich's ataxia with mental symptoms in members of same family, 1344
- hereditary transmission of Friedreich's ataxia, 1092

Atelectasis: See Lungs, collapse

Athetosis, congenital, double, and cerebral diplegia, *364

Atrophy, Infantile: See under Celiac Disease; Infants
- Muscular: See also Dystrophy, muscular
- muscular; Werdnig-Hoffmann paralysis in elder of twins, 866
- Unilateral: See Face, atrophy; etc.

Avertin: See under Anesthesia

Avitaminosis: See under Deficiency Diseases; Vitamins; and under names of deficiency diseases, as Scurvy; etc.

Babinski Reflex: See Reflex, plantar

Bachman Test: See Trichinosis

Bacilli: See Bacteria

Backward Children: See Nervous and Mental Disabilities

Bacteremia: See also under Diphtheria; Pneumococci; Septicemia; Streptococci; etc.
- after adenoidectomy and tonsillectomy, 191

Bacteria: See also Pneumococci; Tubercle Bacilli; etc.
- abortus and melitense group; Br. melitensis meningitis in infant, 1325
- aerogenes capsulatus; formol-toxoids in prophylaxis of gas gangrene, 409
- Bordet-Gengou: See Whooping Cough
- Botulinus: See Botulism
- Brucella suis; differences in activity of serum complement from various animal species, 1309
- Coli: See also Urinary Tract, infections
- coli, bactericidal action of pectin, 602
- culture mediums; clinical use of desoxycholate and desoxycholate-citrate agars (new culture mediums) for isolation of intestinal pathogens, 165
- culture mediums; effect of lecithin on streptococcal and staphylococcal hemolysin, 165

Bacteria—Continued
- Diphtheria: See under Diphtheria
- Dysentery: See Dysentery
- Flexner's: See Dysentery
- Fusiformis: See Angina, Vincent's
- Gas: See Bacteria, aerogenes capsulatus; Gangrene, gas
- Hemophilus: See also Whooping Cough; etc.
- hemophilus; comparison of meningeal and other strains of H. influenzae, 165
- hemophilus; H. pertussis infection produced in mouse by intranasal inoculation, 1064
- Meningococci: See Meningococci
- Necrophorus: See Actinomycosis
- Paratyphoid-Enteritidis Group: See Bacteria, typhoid group; Salmonella
- Pertussis: See Whooping Cough
- Salmonella: See Salmonella
- Spirillum, Vincent's: See Angina, Vincent's; Bacteria, fusiformis
- Streptococci: See Streptococci
- Suipestifer: See under Salmonella
- Tuberculosis: See Tubercle Bacilli
- Typhoid Group: See Bacteria, coli; Salmonella; etc.
- Welchii: See Bacteria, aerogenes capsulatus

Bananas; banana diet in infantile dysentery, 181

Bang's Disease: See Undulant Fever

Barbital and Barbital Derivatives: See also under Anesthesia
- luminal poisoning; picrotoxin used as antidote, 445

Barré-Guillain Syndrome: See Nerves, roots

Barrier, Hematoencephalic: See Meninges, permeability

Basophils: See Leukocytes

BCG Vaccine: See under Tuberculosis

Behavior, animal; effects of mixed incentive on behavior of rats, 636
- conduct disorders of intellectually subnormal children; correlations of intelligence levels of 80 to 89 to behavior disorders, 1093
- disorders in lethargic encephalitis; relation to intelligence of children, *304
- games of children; influence on hygiene, 868
- mental reactions of normal children to physical illness, 1093
- problems during treatment of cryptorchidism, *289
- problems, group activities in children's ward as method of psychotherapy, 1094
- problems, relation to endocrine disturbances, 1094

Beilly, J. S.: Hypoglycemia of newborn associated with hypertrophy and hyperplasia of islands of Langerhans, *330

Benjamin, B.: Hypothyroidism as cause of disease of hip, *1189

Benjamin, B: Results of Shick test in 5,195 children given injections of diphtheria toxoid, *51

Benzedrine, effect of benzedrine sulfate on basal metabolism of children, 1310
- effect of benzedrine sulfate on hemopoietic system, 1111
- Therapy: See under Urination, incontinence

Biedl-Laurence Syndrome: See Laurence-Biedl Syndrome

Biggs, A. D.: Congenital megacolon, 1348

Bigler, J. A.: Cryptorchidism treated with gonadotropic principle, *273

Gonadotropic principle in treatment of cryptorchidism; review of literature, *100

Bile pigment, increased content in feces of infants with bronchopneumonia, 193

Birth, Injuries: See under Newborn Infants

Bismuth and Bismuth Compounds: See under Syphilis

Bites: See under Spiders

Blennorrhea: See Conjunctivitis, of newborn

Bleyer, A.: Role of advanced maternal age in causing mongolism; study of 2,822 cases, *79

Blindness, encephalitic syndrome with transitory blindness but without ophthalmologic signs in twin girls, 426

hysterical, in children; report of 2 cases, *743

lessons learned from blind school survey, 1103

Blood: See also Anemia; Erythrocytes; Hemoglobin; Leukemia; Leukocytes; under names of diseases; etc.

Acetone Bodies: See Blood, ketone bodies

arachidonic and linolic acid of serum in normal and eczematous human subjects, 216

arterial: composition of arterial blood after ingestion of salt solution, 1077

bactericidal power; clinical test, 419

bacteriology in rheumatic fever, *472

calcium and magnesium content of serum in renal insufficiency, 1098

carbon dioxide-combining power, animal experimentation, 1093

changes; influence of thallium in therapeutic and toxic doses on complementary and opsonic power of blood serum, on bactericidal power of whole blood and on velocity of sedimentation of blood corpuscles, 829

chlorides and urea in certain diseases of digestive tract in children, 1086

chlorides in toxic nutritional disturbances, 603

cholesterol determinations as auxiliary means of diagnosing myxedema in children, 875

cholesterol; free cholesterol in pathogenesis of diabetes insipidus of children, 204

choline-esterase activity of human serum, with reference to hyperthyroidism, 643

circulation, cerebral, 1090

circulation; cerebral angiography, 1090

circulation; cerebral circulation; new points in anatomy, physiology and pathology, 1343

coagulation; effect of various coagulants, vitamin C and liver extract on fibrinogen and other coagulation factors in blood of child, 418

coagulation test of Weltmann, 188

coagulation; toxicity and effect of congo red on coagulation, 417

constituents in cases of nephrotic syndrome, *27

count, effect of epinephrine on, 622

Blood—Continued

Diseases: See Anemia; Hemopoietic System; Leukemia; etc.

fats and lipoids; case of von Gierke's disease with marked lipemia, 422

fats and lipoids; splenomegaly with lipemia, 187

formation in fetus and newborn, 185

formation; normal and pathologic medullary hemopoiesis in infancy, 1078

formation; normal hemopoiesis in liver at end of fetal life, at birth and in infancy, 1079

formation; relation to peculiar syndrome of pallidal origin; erythremia with chorea, 1090

Globulin: See Blood, proteins

groups; possible family connection between certain blood group and hereditary pigmentary degeneration of retina, 649

guanidinemia in alimentary intoxication of infants, 422

Injections: See Blood, transfusion; Serotherapy and Hemotherapy

iron conservation during period of physiologic hemoglobin destruction in early infancy, 185

ketone bodies; vomiting with acetonemia; pathogenic and therapeutic considerations, 628

Lipoids: See Blood, fats and lipoids

magnesium content of serum in renal insufficiency, 1098

magnesium; total magnesium in parturient women and newborn, 1062

peptides; polypeptidemia, 188

phosphatase; diagnosis and treatment of rickets; normal and abnormal serum phosphatase, 604

phosphatase during healing of fractures in children, 441

phosphatase in disease; review, 830

phosphorus content during epileptic seizure, 196

phosphorus during healing of fractures in children, 441

Platelets: See also Blood, count; Purpura

platelets; seasonal variations in number of platelets in arterial, venous and cutaneous blood of man, 1330

platelets; sesame oil and thrombocytes, 187

pressure, high; cardiac complications of acute hemorrhagic nephritis, *244

pressure, high; lesions of fundus in essential hypertension and in arterial and retinal disease, 648

pressure reaction of 400 school children to standard stimulus, 620

proteins in some infectious diseases of childhood, 1065

proteins; intravenous injection of amino acids in regeneration of serum protein after severe experimental hemorrhage, 622

proteins; prophylaxis against measles with globulin fraction of immune human adult serum, *768

rapid decolorization of iodine by pellagrous blood, 168

Blood—Continued
sedimentation; erythrocyte sedimentation test: correction for variations in cell volume applied to graphic method; observations on its use in tuberculosis, 624
sedimentation; new microsedimeter, 397
sedimentation rate and coagulation test of Weltmann, 188
sedimentation rate in children, 1118
sedimentation rate in rabbit suffering from active anaphylaxis, 877
sedimentation rate in relation to feeding and nutrition, 166
sedimentation; speed of sedimentation of red blood cells of patients with tracheobronchial adenopathy during sojourn at seashore, 183
Serum: See Serum; and other subheads under Blood
Sugar: See also Carbohydrates; Dextrose; Diabetes Mellitus; Insulin; etc.
sugar; clinical study of hypoglycemia in children, 874
sugar, effect of fat and glycerin on blood content of sugar, 167
sugar; hypoglycemia, 397
sugar; hypoglycemia of newborn associated with hypertrophy and hyperplasia of islands of Langerhans, *330
sugar in toxic nutritional disturbances, 603
sugar, influence of diet on, 167
sugar level and increased acoustic sensitivity in dogs after roentgen radiation of hypophysis, 1332
sugar; site of antagonistic action of posterior pituitary extracts on insulin hypoglycemia, 1346
sugar, test; 1 hour, 2 dose dextrose tolerance test, *1221
sugar tolerance of 200 patients with convulsions, 1341
sugar, triplicate determinations of sugar tolerance in mild and severe asthma, 192
transfusion, detection of erythrocytes of donor after blood transfusion by means of anti-M and anti-N test fluids, 188
transfusion, intraperitoneal, 424
transfusion of red blood cells, 1111
transfusion of stored cadaver blood, 854
umbilical; gaseous properties of umbilical blood of normal and asphyxiated newborn infants, 1063
umbilical; hydrogen ion concentration of umbilical blood of normal and asphyxiated infants, 1063
umbilical; oxygen dissociation curve of hemoglobin in umbilical blood of newborn; gases in umbilical blood, 1317
urea and chlorides in certain diseases of digestive tract in children, 1086
Vessels: See also Arteries; Capillaries; Veins; etc.
vessels; massive cervical hemangioendothelioma, in newborn infant, *124
vessels, multiple malignant hemangioendotheliomas in infant, *559
Vitamins in: See Vitamins
water content of blood and weaning, 831

Blumenfeld, C. M.: Studies of fetal respiratory movements; historical and present day observations, *1

Blumenthal, S.: Acute phosphorus poisoning, *1280

Body build in relation to treatment of cryptorchidism, *288
Fluids: See Fluids
height; relation of creatinine-height coefficient to various indexes of nutrition, *532
objective ratings of constitution of growing child based on examination of physical development and mental expansion, *149
weight; growth norms from birth to age of 5 years of children reared with optimal pediatric and home care, *1233
weight, insensible loss of weight in infancy; findings for 46 infants under basal conditions, *966
weight of infants with hypochromic anemia; comparison of efficacy of ferric and of ferrous iron, *1141

Bonar, B. E.: Studies of fetal respiratory movements; historical and present day observations, *1
Studies of fetal respiratory movements; recording methods, *322

Bones: See also under names of bones
abnormalities and endocrine disturbances, *236
atrophy; gargoylism (chondro-osteodystrophy)? 1101
atrophy; Morquio's disease, *343
atrophy; osteoporosis melolytica (multiple spontaneous idiopathic symmetric fractures), 646
Deformities: See Abnormalities and Deformities; Osteitis deformans; Poliomyelitis; Rickets; etc.
Diseases: See Osteitis; Osteochondritis; Osteomyelitis; etc.
Dystrophy: See Bones, atrophy; Osteitis
Fractures: See Fractures
Fragility: See also Osteosclerosis fragilis
fragility, congenital, associated with vertebral osteochondritis, 647
fragility; fragilitas ossium with otosclerosis and blue scleras; report of case, 434
fragility; use of homologous bone grafts in cases of osteogenesis imperfecta, 434
grafts; use of homologous bone grafts in cases of osteogenesis imperfecta, 434
growth; craniofacial dysostosis in 5 generations, 1061
growth; evidences of disturbed prenatal and neonatal growth in bones of infants aged 1 month, *1248
growth; hereditary craniofacial dysostosis and tower head, 1316
growth; objective ratings of constitution of growing child based on examination of physical development and mental expansion, *149
marrow; normal and pathologic medullary hemopoiesis in infancy, 1078
tuberculosis; early diagnosis and treatment in children, 1328

Book Reviews:

Abdominal Surgery of Children; L. Barrington-Ward, 1129
Baby's First Two Years; R. M. Smith, 659
Bedeutung des Kuhmilchfettes für die Säuglingsernährung; Supplement to Archiv für Kinderheilkunde, No. 13; E. Müller, 1354
Bégaiement, sa nature et son traitement; E. Pichon and S. Borel-Maisonny, 1133
Care and Feeding of Babies in Warm Climates; C. J. Bloom, 447
Childbirth Yesterday and Today: Story of Childbirth Through Ages to Present; A. J. Rongy, 1132
Concepts and Problems of Psychotherapy; L. E. Hinsie, 223
Development of Cardiac Enlargement in Disease of Heart; Radiological Study; J. H. Palmer, 1355
Encephalomyelites de la scarlatine; G. Rambert, 1132
Enfants des tuberculeux; contamination familiale prophylaxie; C. Paul, 1130
Epidemiologie; Grundbegriffe und Ergebnisse; A. Gottstein, 1131
Epilepsie: Biologie, Klinik, Therapie; F. Frisch, 889
Etiology of Mental Deficiency, with Special Reference to Its Occurrence in Twins: Chapter in Genetic History of Human Intelligence; A. J. Rosanoff, L. M. Handy and I. R. Plesset, 888
Genital Abnormalities, Hermaphroditism and Adrenal Diseases; H. H. Young, 1353
History of Women in Medicine; K. C. H. Mead, 1133
Infantile Paralysis and Cerebral Diplegia; E. Kenny, 1133
Management of Pneumonias; J. G. M. Bullowa, 1131
Mikromethodik; L. Pincussen, 223
Normale und pathologische Physiologie der Bewegungsvorgänge im gesamten Verdauungskanal; W. Catel, 1131
Patient and Weather: Vol. IV, Pt. 2; W. F. Petersen and M. E. Milliken, 1353
Pediatric Urology: Vols. I and II; M. F. Campbell and J. D. Lyttle, 1354
Phenomenon of Local Tissue Reactivity; G. Shwartzman, 1132
Rehabilitation of Speech; R. West, L. Kennedy and A. Carr, 887
Safely Through Childbirth; Guide Book for Expectant Mother; A. J. Rongy, 1355
Sérums de convalescents; A. Stillmunkès, 1355
Synopsis of Digestive Diseases; J. L. Kantor, 223
Tabla de dosificacion de vitaminas y minerales en la primera infancia; C. P. Montagna and P. J. Vernocchi, 659
Twenty-Five Years of Health Progress; L. I. Dublin and A. J. Lotka, 659
Typologie der Halsdiphtherie; H. Seckel, 889
Ueber die geburtstraumatischen Schädigungen des Zentralnervensystems; H. Nevinny, 887
Vitamine und ihre klinische Anwedung; W. Stepp, J. Kühnau and H. Schroeder, 1354

Bornholm Disease: See Myositis, epidemic
Botulism, strain of B. botulinus not classified as type A, B or C, 602
Bouillaud's Disease: See Rheumatic Fever
Boyd, J. D.: Retardation of growth in diabetic children, *460
Brain: See also Cerebellum; Corpus Callosum; Meninges; Nervous System; etc.
abnormalities; absence of cerebral hemispheres, with survival for 2 weeks, 402
abscess; large encapsulated abscess of right temporal lobe following latent otitis in child; excision in 1 piece without drainage; cure, 1088
abscess of temporal lobe of otitic origin, cured by puncture and wide decompression, 633
abscess, otitic, 199
cerebral angiography, 1090
cerebral circulation, 1090
cerebral circulation; new points in anatomy, physiology and pathology, 1343
cytoplastic bodies in case of megalencephaly, 1341
disease; fatal lesion of brain following epidemic parotitis, 1070
Encephalography: See Brain, roentgenography
hernia; cephalocele orbitae anterior, 427
inflammatory processes and tumors; relation to syndrome of macrogenitosomia praecox, 197
lesions and tonic neck reflexes in children from prognostic standpoint, *696
microgyrus with cortical heterotopies; left hemiplegia in infant of 22 months, 201
roentgenography; clinicoanatomic, histologic and ventriculographic study of obstetric paraplegia, 632
roentgenography; encephalograms in pediatrics, 426
roentgenography; encephalography with anesthetic gases, 424
roentgenography; indirect harmful effect of encephalography, 1092
roentgenography; occurrence and significance of headache during ventriculography, 1341
tuberculoma; intracranial tuberculomas; record of 4 cases, 631
tuberculomas; multiple in brain of child, 633
tumor, astrocytoma, 1337
tumor; diagnosis in infants, 427
tumor; inheritance of ectomesodermal blastomatoses, with reference to familial tumor of brain, 633
tumor of base of brain; relation to pathologic sleep and other changes in conscious state, 425
tumor simulated by necrotizing encephalitis clinically; due to necrotizing angiitis; clinicopathologic report, 1340
tumor; unilateral exophthalmos in neurologic conditions, 1105
tumors and inflammatory processes; relation to syndrome of macrogenitosomia praecox, 197

Breast Feeding: See Infant Feeding; Milk, human
Milk: See Infant Feeding; Lactation; Milk, human

Brem, J.: Anaphylactic gangrene following administration of horse serum: Arthus or Shwartzman phenomenon? 1018
Brennemann, J.: Acute laryngotracheobronchitis, *667
*tri*Bromethanol: See under Anesthesia
Bronchi, Diseases: See Bronchiectasis; Bronchitis; Bronchopneumonia
tuberculosis; ulcerative tuberculous tracheobronchitis, 848
Bronchial Glands: See Lymph Nodes
Bronchiectasis; analysis of causes, 859
early, with chronic sinusitis, 419
Bronchitis, acute laryngotracheobronchitis, *667
treatment: infections caused by injections of maternal blood, 219
Tuberculous: See Bronchi, tuberculosis
Bronchopneumonia, bacteriology of bronchopneumonia in children in Egypt, 192
followed by subcutaneous thoracic-cervical emphysema, 625
fresh air treatment for children, 861
increased bile pigment in feces of infants with, 193
Broughton, F.: Measurement of obesity by creatinine coefficient, *42
Brown, A. W.: Influence of lethargic encephalitis on intelligence of children as determined by objective tests, *304
Brucea javanica, new specific for amebic dysentery; ya tan tzu, 412
Brucella Abortus; Brucella Melitensis: See Bacteria, abortus and melitense group
Brucellosis: See Undulant Fever
Budson, D.: Sedimentation rate in children, 1118
Buhl's Disease: See Degeneration, fatty
Bullowa, J. G. M.: Acute cholecystitis complicating scarlet fever; report of 2 cases and review of literature, *521
Bumbalo, T. S.: Urinary output of vitamin C of normal and of sick children; laboratory test for estimation, *1212
Burns, care of severely burned persons, 440
prognosis, 1109
therapy; application of vitamin A, 443
Butter, vitamin A activity of butters determined by various methods, 831
Byers, R. K.: Tonic neck reflexes in children from prognostic standpoint, *696

Caffey, J.: Lead poisoning associated with active rickets; report of case with absence of lead lines in skeleton, *798
Calcification: See also under Bones, growth; Parathyroid
calcinosis universalis, 439
progressive facial hemiatrophy; report of 2 cases with cerebral calcification, 212
progressive generalized (diffuse) scleroderma with sclerodactylia and calcinosis, *135
Calcinosis: See Calcification
Calcium, absorption of ingested calcium in rachitic rabbits, 160
Creosotate: See Creosote
Deposits: See Calcification
Calcium—Continued
in Blood: See Blood, calcium
Mandelate: See Urinary Tract, infections
metabolism and mode of action of vitamin D; importance of liver for its antirachitic efficacy; *913
metabolism, immaturity of organism as factor determining favorable influence of lactose on utilization of calcium, 1310
metabolism; metabolic background of rickets, 1312
Calmette-Guérin (B C G) Vaccine: See Tuberculosis, B C G vaccine
Campbell, G. D. G.: Neurolinguistic factors in child development, 880
Cancer: See also Sarcoma; and under names of organs and regions
carcinoma of cecum in 15 year old girl, 1337
carcinoma of hypophysis in 9 year old boy, 644
primary carcinoma of liver in childhood; report of 2 cases; review of literature, *807
primary epithelioma of liver in infant of 3 months, 863
primary hepatic cancer in child, 423
Cannula, new double telescoping cannula for continuous intravenous therapy, 444
Capillaries, effect of vitamin C on, *13
skin capillaries in measles, 176
Carbohydrates: See also Dextrose; Glycogen; Lactose; Sugars; etc.
dehydrating action of diet low in carbohydrate, 1311
intake; relation of diet to experimental pyogenic cutaneous infections in dogs; determinations of glycogen content of skin and liver, 1107
Metabolism: See also Blood, sugar; Dextrose; Glycogen; etc.
metabolism studies of hypophysectomized rats, 207
Carcinoma: See Cancer; and under names of organs and regions
Cardiovascular Diseases: See Blood, vessels; Heart
Caries, Dental: See Teeth
Carpus: See Wrist
Cartilage, softening: generalized rheumatic chondromalacia, 214
Castration, effects on diabetes insipidus in cat, 205
Cathcart, D. F.: Congenital intestinal anomaly in newborn, *566
Cats, hemoglobinophilic bacteria pathogenic to man in air passages of healthy cat, 1310
Cecum, carcinoma of cecum in 15 year old girl, 1337
Celiac Disease, 195
clinical features of intestinal infantilism, 422
relation to disturbances of internal secretion, 629
Cephalocele: See Brain, hernia
Cereals, fungus infection of grain crops in relation to vasomotor disturbances in man, 177
Cerebellum, intracranial dermoid, 425
Cerebrospinal Fever: See Meningitis

Cerebrospinal Fluid: See also Spinal Puncture
absorption of ultraviolet rays by, 1343
carbon dioxide–combining power of spinal fluid; animal experimentation, 1093
chlorides and urea in certain diseases of digestive tract in children, 1086
dissociation of albumin and cell content in polyradiculitis, 632
tests, tryptophan reaction, 200
tests; tryptophan test for diagnosis of tuberculous meningitis, 851
tryptophan reaction as aid to early diagnosis of meningeal tuberculosis, 1328
Cerebrum: See Brain
Cesarean section, in mother and daughter with hereditary achondroplasia, 1102
Cevitamic Acid: See Acid, ascorbic
Chancre, pyodermitis resembling chancre, 1107
Character, experience concerning inheritance of character, 636
Cheek, primary tuberculous lesion of lupoid appearance, 876
Chest: See Thorax
Chick, F. E.: Erythema multiforme exsudativum accompanying oral Vincent's infection, *573
Chickenpox, coincidental with lymphatic leukemia, 174
injection of virus of varicella into chorionic-allantoic membrane of chick embryo, 175
meningitis from, 406
prevention, 405
sequelae; acute encephalomyelitis, 839
simultaneous disappearance of warts and scabs of chickenpox, 1322
therapy; acute optic neuritis and myelitis and intercurrent varicella treated with fixation abscess and iodobenzomethylformine salicylate; cure without sequelae, 1343
varicella following repeated attacks of herpes zoster, 614
varicella gangrenosa due to Str. pyogenes, 1065
Child Welfare: See also Infant Welfare
child guidance in California communities, 867
French rural social service for 13 years, 837
idea for children's congress, 446
public health methods in private school, 400
report of French commission of hygiene and social assistance, 835
responsibility of official agency in maternal and child health, 1314
vitamin B_1 intake of nursery school children, *544
Children: See also Infants; Newborn Infants; Pediatrics; etc.
Growth: See Growth
healthy; diverse attributes of healthy children; report of progress in understanding the "normal child," 400
influence of life in large cities on health, 169
Nervous and Mental Disabilities: See Feeblemindedness; Idiocy; Nervous and Mental Disabilities; and under names of various diseases
preschool; investigation into health of 1,530 preschool children, 400
Chinese, Dick test among Chinese, 1324
skulls of Chinese children, 828
Chlorides in Blood: See Blood, chlorides
Cholecystitis: See under Gallbladder
Cholesterol in Blood: See Blood, cholesterol
Choline-Esterase: See under Blood
Chondrodysplasia, chondrodystrophy related to Ollier's dyschondroplasia, 647
Chondrodystrophy: See Achondroplasia
Chondromalacia: See under Cartilage
Chondro-Osteodystrophy: See Bones, atrophy
Chorea and erythremia; peculiar syndrome of pallidal origin, 1090
clinical types of rheumatic infection in childhood, 410
culture of blood in, *472
followed by obesity, 1342
minor and psyche, 202
rheumatic disease in childhood, 410
Sydenham's, psychic disturbances in, 425
virus etiology of rheumatic diseases, 846
Choriomeningitis: See under Meningitis
Chorion, case of partial chorionic degeneration of placenta with premature live fetus, 1315
Choroid plexuses, coagulation for hydrocephalus; mentality of infants after treatment, *990
Christian-Schüller Syndrome: See Schüller-Christian Syndrome
Christie, A. U.: Diagnosis of syphilis in newborn; use of quantitative Wassermann tests, *979
Chrysotherapy: See under Arthritis
Chylothorax in newborn, 171, 609
Circulation: See Blood, circulation
Cisler, L. E.: Influence of lethargic encephalitis on intelligence of children as determined by objective tests, *304
Cleft Palate: See Palate
Clifton, W. M.: Acute laryngotracheobronchitis, *667
Congenital heart disease; clinical and postmortem study of 105 cases, *761
Infections with S. suipestifer (hog-cholera bacillus) in childhood; report of case of bilateral subdural abscess ending in recovery, *553
Climate: See also Thalassotherapy
and rheumatic heart disease; survey among American Indian school children in northern and southern localities, 852
Coagulation test of Weltmann, blood picture and sedimentation rate, 188
Coccyx: See Sacrococcygeal Region
Cod Liver Oil: See Burns, therapy; etc.
Colds: See Respiratory Tract, diseases; Rhinitis
Colitis, hemorrhagic, in 13 year old boy, 194
idiopathic ulcerative colitis in infants and children, 1351
ulcerative, chronic; studies on B. necrophorum isolated in cases of colitis, 421
Coloboma: See under Macula lutea
Colon: See also Cecum; Gastrointestinal Tract; Intestines
dilatation; congenital megacolon, 1348
Invagination: See Intussusception

Color blindness and hemophilia in same family, 186

Communicable Diseases: See also Exanthems; Immunity; Measles; Meningitis; Syphilis; etc.
hospital infections; survey of problem, *579
Pirquet cubicles for infants, 877
prevalence in United States, 174, 612, 839, 1321
problem of cross infections in infant's and children's hospital, 220
protein of blood in some infectious diseases of childhood, 1065
seasonal patterns and trends, 174
use of placental extract in infectious and contagious diseases, 843
value of convalescent serum in acute contagious diseases, 1321

Complement, differences in activity of serum complement from various animal species, 1309
Fixation: See Wassermann Reaction; etc.

Confession tests, 202

Congo red, toxicity and effect on blood coagulation, 417

Congress of American Physicians and Surgeons, meeting, 600

Conjunctiva, bilateral symmetric dermoid of; case report, 1106

Conjunctivitis, chemical, of newborn: cause, prevention and treatment, 1316
gonorrheal and chemical conjunctivitis of newborn; cause, prevention and treatment, 1316
of newborn; etiology of gonoblennorrhea neonatorum; report of case, 609
of newborn; relation of inclusion blennorrhea to swimming-bath conjunctivitis as determined by accidental transmission, 648

Consciousness; tumors of base of brain: relation to pathologic sleep and other changes in conscious state, 425

Constipation, how do bulky foods relieve constipation? 420
in infants and vitamin B complex: clinical and experimental study with reference to growth and constipation, 1059

Contagious Diseases: See Communicable Diseases

Convulsions: See also Epilepsy; Tetany; etc.
cerebral, acute, in 2 infants, 1090
effect on 1 hour, 2 dose dextrose tolerance test, *1221
relation to water metabolism, 1340
sugar tolerance tests of 200 patients with convulsions, 1341

Cooley, T. B.: Addition of vegetable soup and strained vegetables to diet of artificially fed infants, *1158

Cooperstock, M.: Diagnosis of meningitis in infants, 1112
One hour, 2 dose dextrose tolerance test, *1221

Copper in human milk and in milks of certain animals, 602
significance of copper content of human milk, 831

Corper, F. J.: Osteochondritis ischiopubica in childhood, 657

Corpus callosum; agenesis; recognition by ventriculography, 1088

Correction to abstract of article (**54:** 1126, 1937) by F. Lisi on demographic study of congenital syphilis in Italy, 164

Cough, nonspecific; irradiation for cough in children, 1333

Cowpox, originating from vaccination, 838

Coxa Vara: See Hip Joint, deformities

Cragg, R. W.: Elongated Meckel's diverticulum in child, *128

Cranium, Abnormalities: See Acrocephaly
craniofacial dysostosis in 5 generations, 1061
defect in infant, 647
hereditary craniofacial dysostosis and tower head, 1316
osteomyelitis of otitic and paranasal sinus origin, 211
pathology; hyperostosis cranii associated with internal hydrocephalus and metabolic disturbances, 646
skulls of Chinese children, 828

Creatine and Creatinine in Urine: See under Urine
metabolism in myotonia congenita, *945

Creatinuria: See under Urine

Cresote; in vitro comparative study of efficiency of calcium creosotate, calcium guaiacolate and creosote as bactericidal agents, 445

Cretinism: See also Myxedema
hypothyroidism as cause of disease of hip, *1189
in London, 644

Cryptorchidism: See Testicles, undescended

Culture Mediums: See Bacteria, culture mediums; Viruses, culture; etc.

"Cunctatrophic" infant, 166

Cutis Laxa: See Skin, abnormalities

Cysts: See also under names of organs and regions, as Lungs; Mesentery; etc.
Echinococcus: See Echinococcosis
Epithelial: See Epithelium

Dactylitis: See Fingers and Toes

Daniels, A. L.: Relation of creatinine-height coefficient to various indexes of nutrition, *532

Dark Adaptation: See under Eyes

Davison, C.: Acute encephalomyelitis following German measles, *496

Deaf, criteria for lip reading recommendation: medical and educational considerations, 1333

Deaf-mutism, National Institution of Paris for Deaf-Mutes, report on, 191

Deafness: See also Ear, diseases; Hearing; Otitis Media, Otosclerosis
hard of hearing school children, 857

Death, sudden and unexpected death of cerebral origin in children, 630
sudden, pathology of adrenal gland in relation to, 209

Debré Phenomenon: See Measles, immunity

Defectives: See Feeblemindedness; Nervous and Mental Disabilities
Deficiency Diseases: See also Diet and Dietetics; Nutrition; Scurvy; Vitamins; etc.; and under names of various diseases
diagnosis and treatment of avitaminosis, 832
Deformities: See Abnormalities and Deformities; and under names of organs and regions
Degeneration, fatty; etiology and pathogenesis of Buhl's disease, 1317
Deglutition, swallowing, 629
Dehydration, action of diet low in carbohydrate, 1311
acute, and latent otomastoiditis in infants, 1082
therapeutic; application of modified régime to institutionalized epileptic patients, 1342
Delinquency, changes in delinquents during institutional commitment, 201
child guidance in California communities, 867
confession tests, 202
juvenile, in Nancy, 636
statistical survey of endocrinopathies among young delinquents, 431
Dementia Paralytica, hereditary general paralysis, 1343
infantile and juvenile, of tabetic type, 1104
juvenile; progressive evolution in spite of intensive treatment with acetarsone in patient with heredosyphilis treated since birth, 616
Demography: See Infant Mortality
Dentition: See Teeth
Dermatitis: See also Eczema; etc.
bullosa caused by petroleum, 439
Dermatophytosis: See under Ringworm
Dermoid, bilateral symmetric dermoid of conjunctiva; report of case, 1106
intracranial, 425
de Takáts, G.: Congenital megacolon, 1348
Dextrocardia: See Heart, displacements
Dextrose: See also Blood, sugar; Carbohydrates; Sugars
Tolerance: See also Blood, sugar
tolerance test, 1 hour, 2 dose test, *1221
Diabetes Insipidus: See also Schüller-Christian Syndrome
and carcinoma of hypophysis in 9 year old boy, 644
and Paget's disease in child, 214
effects of thyroidectomy, castration, anterior lobe administration and pregnancy on diabetes in cat, 205
of children; free cholesterol in pathogenesis of, 204
total thyroidectomy for human diabetes insipidus, 872
Diabetes Mellitus: See also Blood, sugar; Insulin
and pregnancy; hypoglycemia of newborn associated with hypertrophy and hyperplasia of islands of Langerhans, *330
Diabetes Mellitus—Continued
and retardation of growth and development, *241
and tuberculosis, 872
diet in treatment of children, *487
in children, 645
infantile, 1346
pathologic changes in hypothalamus in diabetes, 1100
prophylaxis, fundamental facts, 870
retardation of growth in diabetic children, *460
treatment: clinical and experimental observations with new insulins, 873
treatment in children; clinical experience with protamine and crystalline insulin, 209
treatment in children without restriction of diet, 873
treatment; influence of zinc on activity of insulin, 434
treatment; protamine insulin in juvenile diabetes, 208
treatment; protamine insulinate in juvenile diabetes, 432
treatment with insulin and epinephrine, 434
treatment with protamine zinc insulin, 430
Diamond, M.: Adenoma of rectum in children; report of case in 30 month old girl, 1351
Diaphragm, congenital aplasia of left side of diaphragm; report of case, 608
congenital relaxation, 436
effect of breathing exercises on movement of diaphragm, 1084
Hernia: See Hernia, diaphragmatic
paralysis; primary glandular and pulmonary tuberculosis with left-sided diaphragmatic paresis and verrucous lupus in child 2½ years old, 618
relaxation causing torsion of stomach; report of case, 442
Diarrhea: See also Dysentery
complicating melena neonatorum; raw apple dietary, 1061
epidemic, of newborn; clinical considerations, *1288
epidemic, of newborn; outbreaks of highly fatal diarrhea of undetermined etiology in hospital nurseries, 1062
therapy; indications for injections of saline solution in infants, 1086
Diathesis, Allergic: See Anaphylaxis and Allergy; Asthma
Dick Test: See under Scarlet Fever
Diet and Dietetics: See also Food; Infant Feeding; Nutrition; Vitamins; and under names of various diseases and foods
dietary deficiency as cause of macrocytic anemia, 418
Ketogenic: See under Epilepsy; Urinary Tract, infections
relation to cutaneous infection; influence of varying carbohydrate and fat intakes and fasting on experimental pyogenic cutaneous infections in dogs; determinations of glycogen content of skin and liver, 1107
Teeth and Diet: See under Teeth

Diet and Dietetics—Continued
treatment of diabetes mellitus in children, *487
vitamin B_1 intake of nursery school children, *544
Digestive Tract: See also Gastrointestinal Tract; Intestines; Stomach; etc.
diseases; chlorides and urea in blood and spinal fluid in certain diseases of children, 1086
physiology; enzymic efficiency in avitaminosis; peptic digestion in vitamin B deficiency, 168
Digitalis, Therapy: See under names of various diseases, as Diphtheria
Diphtheria, 1323
adrenal glands in, 841
blood in; change of blood in diphtheria, especially at time of appearance of serum disease, 845
cardiac condition 15 to 20 years after severe diphtheria, 403
carriers, significance of tonsillectomy and adenoidectomy in, 1069
combined with scarlet fever, 614
diphtheritic meningitis of otitic origin and other complications of diphtheritic otitis, 1069
diphtheritic myocarditis, 405
gangrene of lower extremities in, 1069
immunity; active immunization by combined subcutaneous and intranasal method, 842
immunity; antidiphtheria immunization, 1322
immunity; antidiphtheritic reimmunization, 1068
immunity; control of diphtheria; Schick test among Chinese, 844
immunity; death following rapidly after injection of anatoxin and antidiphtheritic serum, 614
immunity; diphtheria in children immunized with anatoxin according to method of Ramon, 1068
immunity; endonasal immunization with nonconcentrated toxoid, 1067
immunity; immunization in nursing staff of Ruchill Fever Hospital, Glasgow, 841
immunity; importance of active immunization in combating diphtheria, 176
immunity; influence of seasons on development of immunity in children, 1068
immunity; influence of seasons on development of immunity in guinea pigs, 1067
immunity; quantitative study of Ramon diphtheria flocculation reaction, 1064
immunity; reimmunization with diphtheritic anatoxin, 1068
immunity; results of general vaccination in children, 1068
immunity; study of immunization, 610
immunity; use of alum-precipitated toxoid, 405
laryngeal, treatment, 840
postdiphtheritic hemiplegia and polyneuritis, 176
Diphtheria—Continued
Schick test appraisal, 838
Schick test followed by immediate allergic response, 610
Schick test in relation to administration of vitamin C, *12
Schick test; new diluted Schick fluid, 842
simulating peritonsillar abscess; dangers of incision, 403
therapy; dosage of serum, 1066
therapy to support circulation in severe cases, 615
therapy; treatment of circulatory disturbances, 614
toxin and vitamin C, 173
toxin diluent for Schick test, 842
toxin, influence of vitamin C on, *12
toxoid; results of Schick test in 5,195 children given injections of toxoid, *51
unusual cases in 2 children, 839
urinary excretion of cevitamic acid, 1065
Diplegia: See Paralysis
Diplopia in case of tetany in adolescent, 632
Directory of pediatric societies, 224, 448, 660, 890, 1134, 1356
Dirkse, P. R.: Pulmonary pneumocele (localized alveolar or lobular ectasia) and cystic disease of lung, 1120
Disease, mental reactions of normal children to physical illness, 1093
study of face and of facial expression of sick child, 1111
Dislocations: See under names of joints
Distomiasis, Fasciolopsis buski infection among school children in Shaohsing, China; treatment with hexylresorcinol, 1072
Diuresis and Diuretics: See Diabetes Insipidus; Kidneys; etc.
Diverticulum, Meckel's: See Intestines, diverticula
Dordick, J. R.: Multiple malignant hemangioendotheliomas in infant, *559
Dropsy, epidemic, epidemiology of, 217
Drugs: See also under names of individual drugs and under names of diseases
fixed drug eruptions, 1106
Duodenum, atresia of; report of 3 cases, 864
stenosis, 627
stenosis, case of megaduodenum (congenital duodenal stenosis), 1088
stenosis in infant 1 month old, 1336
tumor, lymphocytoma in child 12 years old; obstruction of principal biliary route, 1336
Ulcer: See Peptic Ulcer
Dura Mater: See Meninges
Dwan, P. F.: Double colic intussusception, *1031
Dwarfism: See also Achondroplasia
and endocrine disturbances, *239
in case of osteochondritis; Morquio's disease, *343

Dwarfism—Continued
metabolism of dwarf under treatment with growth hormone, 207
renal rickets, 427
renal rickets with nephrosis and glycosuria but normal blood sugar, 429
Dyschromia: See Pigmentation, cutaneous
Dysentery: See also Diarrhea
Amebic: See Amebiasis
bacteriologic study of 40 cases of dysentery, including 2 cases of Flexner bacillus septicemia, 408
dysenteric syndromes, 181
in infancy, 409
infantile, banana diet in, 181
Dysostosis: See under Bones, growth; Cranium; Schüller-Christian Syndrome
Dyspepsia: See Celiac Disease; Gastrointestinal Tract, diseases
Dysplasia Periostei: See Bones, fragility
Dystrophy: See also under Bones, atrophy; etc.
Adiposogenital: See Laurence-Biedl Syndrome; and under Pituitary Body
muscular; influence of malarial treatment on histopathologic skin process, 1103

Ear: See also Deafness; Mastoiditis; Otorhinolaryngology; etc.
Diseases: See also Meningitis, otitic; Otitis Media; Otosclerosis
diseases: acute dyspepsia in infant following otitis; importance of alimentary treatment, 628
foreign bodies in ear; removal, 189
middle; prevention and treatment of infections of influenzal origin, 190
Echinococcosis: See under names of various organs, as Lungs; etc.
Ectoderm, congenital defect, 438
Eczema, 438
arachidonic and linolic acid of serum in normal and eczematous subjects, 216
cutaneous, threshold of tolerance in, 439
results of treatment in infants with BCG, 650
treatment with vitamin F ointments, 875
unsaturated fatty acids in eczema, 1106
Edema and acid-base regulation by diet, 1312
in cases of acute hemorrhagic nephritis, *244
Nephritic: See under Nephritis
nutritional, in children, 1334
Education and Training: See also Schools
living philosophy of, 879
neuropsychic disorders in children from clinical and social point of view, 652
organic theory of mind; bearing on education, 879
psychotherapy and pedagogy, 202
punishment as aid in training child, 637
stuttering problem and suggested treatment, *383
Electrocardiogram: See under Heart
Electrocoagulation: See under specific headings, as Tonsillectomy; etc.
Embryo, active immunity of, 1061
Emerson, L.: Hemoglobin differences in healthy white and Negro infants, *776
Emesis: See Vomiting
Emotions, mechanism of emotion, 1094
Emphysema, bronchopneumonia followed by subcutaneous thoracic-cervical emphysema, 625
caused by partial compression of bronchus by tuberculous lymph nodes, 1077
Empyema, acute, pleural; treatment, 860
cavity; treatment of nontuberculous purulent pleurisy associated with retroparietal residual cavity, 860
Encephalitis: See also Encephalomyelitis; Meningoencephalitis
acute; perivenous changes associated with vaccination, variola and measles, 172
and epidemic acute poliomyelitis, both airborne infections, 177
encephalitic syndrome with transitory blindness but without ophthalmologic signs in twin girls, 426
epidemic, followed by precocious puberty; relation of intracranial tumors and inflammatory processes to syndrome of macrogenitosomia praecox, 197
fulminating, as cause of sudden and unexpected death in children, 630
lethargic, influence on intelligence of children as determined by objective tests, *304
measles encephalitis associated with epilepsy of hypothalamic origin, 635
measles encephalitis of apoplectic type in boy of 8 years, 613
necrotizing, simulating tumor of brain clinically and due to necrotizing angiitis; clinicopathologic report, 1340
postvaccinal; follow-up examinations, 1066
treatment; intravenous injections of hypertonic solutions for convulsive forms of encephalitis in infants, 632
typhoid encephalitis; differentiation from infectious encephalomeningitis, 181
Encephalography: See under Brain
Encephalomeningitis: See Meningoencephalitis
Encephalomyelitis, acute, complicating chickenpox, 839
acute, disseminated; myelopathy following vaccination, 610
acute, following German measles, *496
immunity; method of transmission of immunity to equine encephalomyelitic virus in guinea pig, 828
Endocarditis, fetal, 855
Rheumatic: See under Rheumatic Fever
Endocrine Glands: See also Endocrine Therapy; Hormones; Metabolism; and under names of glands
and abnormalities of growth and development; clinical and pathologic aspects, 606, 607
disorders; pediatric endocrinology, 873

Endocrine Glands—Continued
endocrine disturbances in behavior problems, 1094
endocrinopathies; statistical survey among young delinquents, 431
in theory and practice; parathyroid glands, 432
obesity in children; clinical and laboratory studies and results of treatment, 642
relation of disturbances of internal secretion to celiac disease, 629
relation of endocrine disturbances to certain heredodegenerative symptoms, *231
Endocrine Therapy: See under names of diseases, glands, hormones and organs
Endometrium, extract from adrenal gland causing luteinization of ovaries and endometrial hyperplasia, 872
Energy Exchange: See Metabolism
Engelfried, J. J.: Absorption, distribution and excretion of sulfanilamide in normal rabbits, 1116
Use of sulfanilamide in hospital for contagious diseases, 1115
Enteritis: See under Colitis; Diarrhea; Dysentery; Gastrointestinal Tract; Intestines; etc.
Enterocolitis: See under Intestines
Enuresis: See Urination, incontinence
Environment, influence of life in large cities on health of children, 169
Eosinophilia and scarlet fever, 1067
Eosinophils, hematologic response of leukopenic index in food allergy eosinophilia, 216
Ephedrine, Therapy: See under Urination, incontinence
Epilepsy: See also Convulsions
acid-base balance in, 632
and heredity; study in twins, 1091
in childhood; incidence of remissions, 198
in childhood; statistical study of clinical types, 197
mental growth of epileptic children, *295
mode of onset, 1340
musicogenic, 631
of hypothalamic origin, 635
phosphorus content of blood serum during epileptic seizure, 196
relation of autonomic nervous system to pathogenesis of epilepsy, 630
review of physicochemical studies, 1339
therapy; endocrine therapy, 1339
therapy; modified dehydration régime for institutionalized epileptic patients, 1342
therapy; results with ketogenic diet in childhood, 199
treatment with gold and sodium tetrabromide, 630
Epinephrine: See Adrenal Preparations; and under names of various diseases, as Diabetes Mellitus
Epiphyses, epiphysial development in disease of hip due to hypothyroidism, *1189
Inflammation: See under Metatarsus
Epiphyses—Continued
punctate epiphysial dysplasia, 214
separation distinguished from dislocation of hip in infancy; new roentgen signs, 1347
Epithelioma: See Cancer
Epithelium, multiple epithelial cysts of oral mucous membrane in newborn, *340
Ergosterol, Irradiated: See Viosterol
Erysipelas treated with prontosil, 613
treatment with sulfanilamide, 1115
Erythema, annular, and streptococcemia in course of Bouillaud's disease, 410
multiforme exsudativum accompanying oral Vincent's infection, *573
nodosum as evidence of increased allergy to tuberculin; appearance following tuberculin reactions, 618
nodosum, condition for appearance of erythema nodosum, particularly tuberculous type; symptom of primary infection, 1108
nodosum, pathogenesis of, 218
nodosum, rheumatic, *897
Erythremia: See Polycythemia
Erythroblastosis: See Anemia; Hemopoietic System, diseases; Polycythemia; Pseudoleukemia, infantile
Erythrocytes: See also Anemia; Blood; Hemoglobin; Polycythemia; etc.
duration of life of erythrocytes before and after treatment of pernicious anemia by means of liver, 189
reticulocyte response; hemopoietic principle of Castle as found in gastric juice of infants, 628
Sedimentation: See Blood, sedimentation
vital and postmortem staining of erythrocytes in children, 1079
Erythroderma desquamativa, Leiner's disease, 875
exfoliativa, report of 3 cases, 439
Escherichia: See Bacteria, coli
Esophagus, abnormality; esophageal malformation, 403
atresia; congenital obstruction of alimentary tract, 421
congenital deformities; roentgenologic and endoscopic study, 195
stricture, congenital, 1334
stricture dilated with urologic instruments, 193
Estrin: See Estrogens
Estrogens: See also Hormones, sex; Ovary, hormone; Pregnancy, urine in
effect of female sex hormones on oxygen consumption rate of normal rats and on tolerance to desiccated thyroid, 206
in treatment of gonorrheal vulvovaginitis, 1098
oral administration of estrin to premature babies, 606
Evipal: See Barbital and Barbital Derivatives
Exanthems: See also Communicable Diseases; and under names of exanthematous diseases
parallergic, vaccinal, 407

Exercise: See also Physical Therapy
elevated temperatures in childhood due to, 444
Exomphalos: See Hernia, umbilical
Exophthalmos, unilateral, in neurologic conditions, 1105
Exostoses, familial, in girl, 1102
Extremities, abnormalities; amelia, 1315
deformities of childhood, 440
paralysis; polyradiculitis with dissociation of albumin and cell content of spinal fluid, 632
Eyelids, lymphosarcoma, 215
palpebral tarsal involvement in malignant lymphogranulomatosis, 648
Eyes: See also Macula lutea; Vision; and under names of special structures and diseases of eyes
abnormalities; hereditary developmental errors as cause of lowered resistance, 215
absence of; unilateral congenital anophthalmos with orbitopalpebral cyst, 648
cyst; unilateral congenital anophthalmos with orbitopalpebral cyst, 648
dark adaptation as index of vitamin A intake, 832
dark adaptation technic (biophotometer) used in measurement of vitamin A deficiency in children, 1313
orbitopalpebral rhabdomyosarcoma, 649

Face, atrophy; progressive facial hemiatrophy; report of 2 cases with cerebral calcification, 212
chronic sinus of, 1101
craniofacial dysostosis in 5 generations, 1061
dyschromia; report of 3 cases, 876
Paralysis: See Paralysis, facial
study of face and of facial expression of sick child, 1111
Fallopian tube torsion in virgin, 639
Fallot's Tetralogy: See Heart, abnormalities
Fasciolopsis, Infestation: See Distomiasis
Fat: See also Lipoids
intake; relation of diet to pyogenic cutaneous infections in dogs; determinations of glycogen content of skin and liver, 1107
necrosis of newborn, 609
necrosis, subcutaneous; sclerema neonatorum, *112
Feces acidity in "cunctatrophic" infant, 166
Feeblemindedness: See also Idiocy; Laurence-Biedl Syndrome; etc.
conduct disorders of intellectually subnormal children; correlations of intelligence levels of 80 to 89 to behavior disorders, 1093
family physician and feebleminded child, 1094
trauma at birth as cause of retarded development in childhood, 1095
xeroderma pigmentosum with mental deficiency; report of 2 cases, *784
Feet: See Foot
Femur, Epiphyses: See Epiphyses
fracture: motion picture demonstration of treatment, 885
Fenestra Parietalis: See Foramen, parietal
Fenning, C.: Studies of fetal respiratory movements; historical and present day observations, *1
Studies of fetal respiratory movements; recording methods, *322
Fenton, M. M.: Adrenal concentrate therapy for allergic conditions, 1126
Fetus, blood formation in, 185
endocarditis in, 855
etiology and pathogenesis of Buhl's disease, 1317
incidence of human malformations and significance of changes in maternal environment in their causation, 1315
intrauterine fractures; report of 2 cases, 403
method of transmission of immunity to equine encephalomyelitic virus in guinea pig, 828
movements: at what age does fetus make active movements in utero? 1060
Pathology: See Achondroplasia; Hydrocephalus; etc.
respiration; breathing of amniotic fluid as normal function of fetal respiration, 828
respiration; intrauterine respiratory movements of human fetus, 836
respiratory movements: historical and present day observations, *1
respiratory movements; recording methods, *322
Fever: See also Malaria; Typhoid; etc.
elevated temperatures in childhood due to exercise, 444
obscure in early life, 443
Q; experimental studies on virus of Q fever, 1065
Q fever, new entity; clinical features, diagnosis and laboratory investigation, 842
Therapeutic: See under Malaria; etc.
Fibrinogen: See under Blood
Fingers and Toes, abnormalities; acrodysplasia, of syndactylic oxycephaly type, 402
abnormalities, multiple congenital deformities; hand with 5 fingers without thumb, 607
dactylitis and spontaneous amputation of phalanx in syphilitic (?) infant, 618
pulmonary and osseous lesions presumably due to sarcoid; case report, 192
"resilient finger" in young children, 215
Fistula, rectovestibularis, or anus vestibularis, diagnosed during labor, 402
thyroglossal; roentgen study of midline fistulas in neck, 607
tracheal, in case of malformation of esophagus, 403
urethroprostatic; congenital absence of anus and rectum, with fistulous tract into prostatic urethra, associated with dextrocardia, 1060
Fleming, G.: Results of Schick test in 5,195 children given injections of diphtheria toxoid, *51

Flour, aleurone, in dietetic treatment of enterocolitis in infants, 627

Fluids, changes in hydrogen ion concentration of body fluids after irradiation, 831

peculiarities of distribution of salt and water in infant, 830

Food: See also Diet and Dietetics; Nutrition; Vitamins; and under various foods, as Apples; Bananas; Butter; Cereals; Flour; Milk; Oranges; Salts; Soy Beans; Vegetables etc.

allergy, food allergens; statistical analysis of 43 cases relative to genetic classification of foods, 1107

allergy; limitation of passive transfer in food-sensitive children, 650

experiments with canned, home cooked and raw food diets, 829

how do bulky foods relieve constipation? 420

Poisoning: See Botulism

Foot: See also Metatarsus; Tarsus; etc.

ringworm of feet; shoes as source of reinfection, 437

Foramen, parietal; fenestrae parietales symmetricae, 437

Foreign Bodies: See under names of organs and regions, as Ear

Foreskin: See Penis

Fractures: See also under names of bones, as Femur

intrauterine fractures; report of 2 cases, 403

osteoporosis melolytica (multiple spontaneous idiopathic symmetrical fractures), 646

plasma phosphatase and phosphorus during healing in children, 441

Frank, A.: Acute laryngotracheobronchitis, *667

Frant, S.: Epidemic diarrhea of newborn; clinical considerations, *1288

Frederick, W. G.: Insensible loss of weight in infancy; findings for 46 infants under basal conditions, *966

Freeman, J.: Morquio's disease, *343

Freezing: See Refrigeration

Frei Reaction: See Lymphogranuloma venereum

Freiberg-Köhler Disease: See under Metatarsus

Friderichsen-Waterhouse Syndrome: See Adrenals, hemorrhage

Friedfeld, L.: Acute encephalomyelitis following German measles, *496

Friedreich's Ataxia: See Ataxia, hereditary

Froin Syndrome: See Xanthochromia

Fungi: See also Actinomycosis; Ringworm; etc.

action of para-aminophenylsulfamine on molds, 1310

relation of fungus infection of grain crops to vasomotor disturbances in man, 177

Galactose Tolerance: See Liver, function tests

Gallbladder, acute cholecystitis complicating scarlet fever; report of 2 cases and review of literature, *521

Galloway, J. M.: One hour, 2 dose dextrose tolerance test, *1221

Games: See Play

Ganglioneuroma, morphology of neuroblastoma of adrenal medulla, 1100

Gangrene: See also under Stomatitis, gangrenous; and under names of organs and regions, as Skin, gangrene

anaphylactic, following administration of horse serum; Arthus or Shwartzman phenomenon? 1018

gas; formol-toxoids in prophylaxis, 409

of lower extremities in diphtheria, 1069

postmorbillous; report of case, 1323

Gargoylism: See Bones, atrophy

Gas Gangrene: See Gangrene, gas

Gastric Juice: See Stomach, secretion

Gastrointestinal Tract: See also Colon; Duodenum; Intestines; Stomach; etc.

chronic abdominal syndromes in children, 878

diseases; acute dyspepsia in infant following otitis; importance of alimentary treatment, 628

Gee's Disease: See Celiac Disease

Genitals: See also Genitourinary Tract; Urinary Tract; and under names of genitals, as Ovary; Testicles; etc.

effects of hypophysial implants from normal mature guinea pigs on sex organs of immature guinea pigs, 641

treatment of hypogenitalism in male, 1096

Genitourinary Tract: See Genitals; Urinary Tract; and under organs of genitourinary tract

Gibson, S.: Congenital heart disease; clinical and postmortem study of 105 cases, *761

von Gierke's Disease: See Glycogen, in liver and muscle

Gillespie, J. B.: Melorheostosis Léri, *1273

Ginandes, G. J.: Insensible perspiration in children; studies on influence of salt, *1176

Gittings, J. C.: Use of percomorph liver oil as antirachitic agent, *526

Glands: See Endocrine Glands; Lymph Nodes; and under names of individual glands

Glandular Fever: See Mononucleosis, infectious

Globulin, in Blood: See Blood, proteins

Placental: See under Placenta

Globus Pallidus: See Lenticular Nucleus

Glottis, interference with function of glottis; possible mechanism for lowered resistance to pneumonia, 1121

Glucose: See Dextrose

Glutathione, effects of stimulation of adrenal gland on content of glutathione, 872

Glycemia: See Blood, sugar

Glycerin, effect on blood content of sugar, 167

Glycogen disease and diffuse rhabdomyomatosis; idiopathic hypertrophy of heart, 188
disease, cardiomegalia congenita in relation to; idiopathic hypertrophy of heart, 187
disease, pathogenesis of, 423
in liver and muscle; case of von Gierke's disease with marked lipemia, 422
in liver and muscles in glycogenosis; rhythm in excretion of acetone, 167
restoration of muscle glycogen in hypophysectomized frog, 210
Glycogenosis: See Glycogen
Glycosuria: See Dextrose, tolerance; Diabetes Mellitus; Urine, sugar
Goiter: See also Thyroid
exophthalmic, in children, 640
in newborn and in children, 433
investigations at Modum, Norway, 645
problem in childhood, 433
relation to myopathy, *243
Gold and Gold Compounds, Therapy: See under Arthritis
Goldstein, M.: Elongated Meckel's diverticulum in child, *128
Gonadotropic Substances: See under Hormones, sex; Pituitary Body; Pituitary Preparations; Pregnancy, urine in
Gonads: See Endocrine Glands; Genitals; Hermaphroditism; Ovary; Testicles
Gonococci, Infections: See under Conjunctivitis; Gonorrhea
Gonorrhea: See also under Gonococci
sulfanilamide in treatment of gonorrheal vulvovaginitis, 654
treatment; antigonococcus serum, gonococcus vaccine and filtrate in treatment of gonococcic infections, 1324
vulvovaginitis; treatment with estrogenic substance, 1098
Grafts: See under Bones; Skin
Granulocytopenia: See Angina, agranulocytic
Granuloma, lipophagic, and sclerema neonatorum; case report, 171
Malignant: See Lymphogranuloma
Grass pollen and seed, immunologic relation, 438
Graves' Disease: See Goiter, exophthalmic
Greenthal, R. M.: Interesting involvements of chest in infancy and childhood, 1120
Grip: See Influenza
Growth, abnormalities and development; clinical and pathologic aspects, 606, 607
and vitamin B complex; clinical and experimental study with reference to growth and constipation, 1059
biologic effects of thymectomy, 1099
diverse attributes of healthy children; report of progress in understanding the "normal child," 400
effect of addition of vegetable soup and strained vegetables to diet of artificially fed infants, *1158
Growth—Continued
norms from birth to age of 5 years of children reared with optimal pediatric and home care, *1233
objective ratings of constitution of growing child based on examination of physical development and mental expansion, *149
retardation in diabetic children, *460
unveiling the mystery of, 401
Guanidine in Blood: See under Blood
Guillain-Barré Syndrome: See Nerves, root
Gums, tuberculous gingival lesion, 849

Haiman correlation of vasomotor symptoms associated with nasal manifestations in children, 189
Hair, abnormalities; congenital ectodermal defect, 438
excessive; hirsutism, 211
premature grayness associated with recurrent vomiting in children; etiology and treatment, 421
Hamil, B. M.: Addition of vegetable soup and strained vegetables to diet of artificially fed infants, *1158
Hemoglobin differences in healthy white and Negro infants, *776
Hamilton, B.: Absorption of injected calcium in rachitic rabbits, 160
Hardy, L. M.: Cryptorchidism treated with gonadotropic principle, *273
Gonadotropic principle in treatment of cryptorchidism; review of literature, *100
Harelip, operations; anesthesia for operations on babies, 441
Harley, L.: Cevitamic acid, 1122
Hay Fever: See also Anaphylaxis and Allergy; Rhinitis
therapy; coseasonal treatment with specific pollen antigen, 1125
triplicate determinations of sugar tolerance in mild and severe asthma, 192
Head: See Cranium
Health education and services in schools, 1314
preventive pediatrics, 1314
Hearing: See also Deafness
increased acoustic sensitivity in dogs after roentgen radiation of hypophysis, 1332
Heart: See also Endocarditis; Myocarditis; Pericarditis; and under names of various conditions, as Rheumatic Fever, heart in; etc.
abnormalities; atresia of pulmonary orifice with intact interventricular septum, 186
abnormalities; case of cor triloculare biatriatum with hydrocephalus, 187
abnormalities; congenital heart block with defect of interventricular septum, 855
abnormalities; congenital heart disease; clinical and postmortem study of 105 cases, *761
abnormalities; hypoplasia of auricle, with tricuspid straightening and pulmonary constriction, 1331

Heart—Continued
abnormalities; tetralogy of Fallot and nonhemolytic streptococcic meningitis, 425
block, congenital, with defect of interventricular septum, 855
disease; cardiac complications of acute hemorrhagic nephritis, *244
disease, congenital; apparent increased velocity of blood flow with septal defects having right-to-left shunt, 852
disease, congenital; clinical and postmortem study of 105 cases, *761
disease, congenital; course and management, 186
disease, congenital; diagnosis, 852
disease, diphasic QRS type of electrocardiogram in congenital heart disease, 184
disease due to congenital stenosis of abdominal aorta, 619
disease, nutritional, in children, *750
displacements; dextrocardia associated with congenital absence of anus and rectum, with fistulous tract into prostatic urethra, 1060
electrocardiograms of newborn and premature infants, 1063
hypertrophy, idiopathic, 1079
hypertrophy, idiopathic; cardiomegalia congenita in relation to glycogen disease, 187
hypertrophy, idiopathic; diffuse rhabdomyomatosis and glycogen disease, 188
hypertrophy in infants, *93
murmurs; accidental in nurslings, 1079
Rate: See also Pulse
rate, excessively rapid, 620
tests for cardiac function in children, 1078
tuberculosis; protracted hematogenous tuberculosis, with involvement of heart, 413
Heat, Production: See Metabolism
Height: See under Body
Helminths and Helminthiasis: See Intestines, parasites; Tapeworm; etc.
Hemangioendothelioma: See Angioendothelioma
Hematoencephalic Barrier: See Meninges, permeability
Hematoma: See Meninges, hemorrhage; etc.
Hematuria in cases of hydronephrosis, 429
Hemiatrophy: See Atrophy, unilateral
Hemiplegia, left, in infant of 22 months; microgyrus with cortical heterotopies, 201
Hemoglobin: See also Anemia; Blood; Erythrocytes; Sulfhemoglobinemia; etc.
differences in healthy white and Negro infants, *776
fetal, occurrence in young infants, 624
metabolism in newborn with physiologic jaundice, 1062
production; amino acids (natural and synthetic) as influencing hemoglobin production in anemia, 622
values, effect of addition of vegetable soup and strained vegetable to diet of artificially fed infants, *1158
Hemophilia, 623
and color blindness in same family, 186
in Negroes; 3 cases and 2 genealogic charts, 621
Hemophilus: See Bacteria, hemophilus
Hemopoietic System: See also under Blood; Erythrocytes
Diseases, 623: See also Anemia; Leukemia; etc.
Hemorrhage: See also Blood, coagulation; Hemophilia; Purpura, hemorrhagic; etc.
clinical pathology of hemorrhagic states, 1331
hemorrhagic states, 1330
in Newborn: See under Newborn Infants
therapy; snake venom in hemorrhagic states, 620
Hemotherapy: See Serotherapy and Hemotherapy
Henry, L. D.: Some conditions simulating meningitis, 1114
Hepatitis: See Jaundice; Liver
Hepatomegaly: See under Liver
Heredity, possible familial connection between certain blood group and hereditary pigmentary degeneration of retina, 649
Hermaphroditism, case of pseudohermaphroditism; treatment, 639
episode in history of gynandroid hermaphrodite, 870
unusual case, 204
Hernia, diaphragmatic; case of congenital aplasia of left side of diaphragm, 608
diaphragmatic, congenital, of stomach in child, 1085
diaphragmatic, congenital, strangulated; case report, 442
diaphragmatic, of left side in infant 3 weeks old associated with vomiting, 1086
diaphragmatic; transdiaphragmatic gastric hernia, 1085
inguinal, in relation to treatment of cryptorchidism, *287
inguinal; injection treatment of reducible hernia in children, 1334
umbilical, 195
Herpes Zoster: See also under Chickenpox
ophthalmic, 215
zona and tuberculosis, 618
Herter-Gee Disease: See Celiac Disease
Heumann, J.: Idiopathic ulcerative colitis in infants and children, 1351
Hexylresorcinol, Therapy: See under Distomiasis
Heymann, W.: Metabolism and mode of action of vitamin D; importance of liver for its antirachitic efficacy, *913
Higgons, R. A.: Growth norms from birth to age of 5 years; study of children reared with optimal pediatric and home care, *1233
Hinton Test: See Syphilis, serodiagnosis
Hip Joint, Deformities: See also Epiphyses, separation; Osteochondritis deformans
deformities, hypothyroidism as cause of disease of hip, *1189

Hip Joint—Continued
dislocation, congenital; roentgenographic check on "sign of reduction," 1347
dislocation, congenital; role of Trendelenburg sign in diagnosis, 1347
dislocation; new roentgen signs for differentiation between epiphysial separation and dislocation of hip in infancy, 1347
early diagnosis of congenital preluxation of hip, 213
Hirschsprung's Disease: See Colon, dilatation
Hirsutism: See Hair, excessive
Hodes, P. J.: Use of percomorph liver oil as antirachitic agent, *526
Hodgkin's Disease: See Lymphogranuloma
Hoffman, S. J.: Sulfanilamide in treatment of gonorrheal vulvovaginitis, 654
Hoffmann-Werdnig Paralysis: See Atrophy, muscular
Hog-Cholera, Bacilli: See Salmonella suipestifer
Hogden, C.: Metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
Holinger, P.: Acute laryngotracheobronchitis, *667
Hookworm Infestation, invasion of submucosa of human small intestine by A. braziliense, 408
Hormones: See also Endocrine Glands; and under names of organs, as Parathyroid; Pituitary Body; Thyroid
mechanical presentation of effects and interrelations of human sex-endocrine factors during menstrual cycle and pregnancy, 1122
Sex: See also Androgens; Estrogens; Pituitary Preparations; and under names of organs, as Ovary; Pituitary Body; Testicles; etc.
sex; gonadotropic principle in treatment of cryptorchidism; review of literature, *100
sex; quantitative assay of "follicle stimulating" substances, 1099
Hospitals, conjunctive hospitalization of nursing babies and mothers, 835
infections; survey of problem, *579
Pirquet cubicles for infants, 877
Housing and rickets in various districts of Venice, 834
Humerus, pathology of; morbus Panner, 215
Hutton, M. K.: Relation of creatinine-height coefficient to various indexes of nutrition, *532
Hydatid Cyst: See Echinococcosis
Hydrocephalus in case of cor trilocular biatriatum, 187
internal, associated with hyperostosis cranii and metabolic disturbances, 646
treatment by means of coagulation of choroid plexuses; mentality of infants thus relieved, *990
Hydronephrosis, hematuria in cases of, 429
Hydrophobia: See Rabies
Hydrotherapy: See under Thalassotherapy; etc.
Hypercholesteremia: See Blood, cholesterol
Hyperglycemia: See Blood, sugar; Diabetes Mellitus
Hyperkeratosis: See Keratosis
Hyperparathyroidism: See under Parathyroid
Hyperpyrexia: See Fever
Hypertension: See Blood Pressure, high
Hyperthyroidism: See under Goiter; Thyroid
Hypertrophy: See under names of organs and regions
Hypocholesteremia: See Blood, cholesterol
Hypogenitalism: See Genitals; Pituitary Body, diseases
Hypoglycemia: See Blood, sugar
Hypophysis: See Pituitary Body
Hypospadias, effects, symptoms and treatment, 870
Hypothalamus, pathologic changes in diabetes, 1100
Hypothyroidism: See under Thyroid
Hypotrophy: See Nutrition, disturbances
Hysteria, Manifestations: See Blindness, hysterical

Icterus: See Jaundice
Idiocy: See also Feeblemindedness
amaurotic; hitherto unknown form of infantile amaurotic idiocy, 1091
amaurotic; therapeutic possibility in Tay-Sachs disease, 196
familial cerebelloataxic imbecility; 2 cases, 1344
Mongolian: See Mongolism
Ileum: See under Intestines
Ileus: See Intestines, obstruction
Imagery and learning, 636
Imbecility: See Idiocy
Immunity: See also Anaphylaxis and Allergy; Antigens and Antibodies; Diphtheria, immunity; Serum; etc.
active immunity of embryo, 1061
immunologic reactions of filtrable viruses, 829
method of transmission to equine encephalomyelitic virus in guinea pig, 828
preventive immunizations in childhood, 172
Indians, American; survey on relation of climate and rheumatic heart disease in Indian school children in northern and southern localities, 852
Indole, effect on hemopoiesis in dogs fed deficient diets, 853
Infant Feeding: See also Diet and Dietetics; Nutrition; Vitamins; and under names of various foods, as Milk; etc.
blood sedimentation rate in relation to feeding and nutrition, 166
infant dietetics in Casa de Cuna, Mexico, 1311
mineral and water metabolism in early infancy; relation to problem of artificial feeding, 652
proper nutrition in infancy, 602
technic of artificial feeding; giving of milk by cup, 166

Infant Feeding—Continued
vitamins in infant nutrition, 399
weaning and water content of blood, 831
Infant Mortality: See also Newborn Infants; Premature Infants
causes of stillbirths, 1315
duty of physician to study vital statistics; infantile mortality and its causes in province of Ferrara, Italy, 835
in Montevideo, 170
placental infection in induced labor; relation to fetal and neonatal mortality, 834
political demography in Italy, 169
responsibility of official agency in maternal and child health, 1314
summary by states for 1936; comparison with prior years, 834
syndrome of hemorrhagic disease of newborn, 171
Infant Welfare: See also Child Welfare
agencies for protection of mothers and small infants in Switzerland, 837
assistance to children of tuberculous parents, 183
conjunctive hospitalization of nursing babies and mothers, 835
in Brazil, 838
infant aid of 3 types, 446
prematurity as public health problem, 401
protection of mothers and infants in Argentina, 835
public assistance to nursing infants in Savole, France, 837
Infantilism and endocrine disturbances, *239
dystrophic, 644
Intestinal: See Celiac Disease
Pituitary: See Pituitary Body, diseases
Renal: See Dwarfism, renal
Splenic: See Splenomegaly
Infants: See also Children; Infant Feeding; Infant Mortality; Infant Welfare; Newborn Infants; Premature Infants; etc.
and the mother in the home, 446
atrophy; case of extreme atrophy, 398
"cunctatrophic," 166
Diseases: See under names of various diseases
Growth: See Growth
Infection: See also Bacteremia; Immunity; Septicemia; under names of bacteria, organs and regions; etc.
gastric hemorrhage from toxic infections of infancy, 627
therapy; clinical use of sulfanilamide and its derivatives in treatment of infectious diseases, 1324
vitamin C and infection; excretion of vitamin C in osteomyelitis, 833
vitamin C and infection; excretion of vitamin C in pulmonary tuberculosis and rheumatoid arthritis, 833
Infectious Diseases: See Communicable Diseases; Diphtheria; Typhoid; etc.
Influenza as possible cause of increased occurrence of toxicosis, 629
Bacilli: See under Meningitis
complications; prevention and treatment of middle ear infections of influenzal origin, 190
with acute cerebral convulsions in infant, 1090
Injections: See also Blood, transfusion; Sodium Chloride; etc.
Intravenous: See also Serotherapy and Hemotherapy; under names of diseases, as Toxemia, alimentary
intravenous; new double telescoping cannula for continuous intravenous therapy, 444
Sclerosing: See under Hernia
Injuries: See under Newborn Infants, birth injuries; and under names of organs and regions
Instruments, new double telescoping cannula for continuous intravenous therapy, 444
Insulin: See also under Diabetes Mellitus
hypoglycemia; site of antagonistic action of posterior pituitary extracts, 1346
lipomatosis in insulin-injected areas in diabetic boy aged 13½ years, 642
Intelligence, conduct disorders of intellectually subnormal children; correlations of intelligence levels of 80 to 89 to behavior disorders of children, 1093
diverse attributes of healthy children; report of progress in understanding the "normal child," 400
influence of lethargic encephalitis on intelligence of children as determined by objective tests, *304
mental growth of epileptic children, *295
organic theory of mind and its bearing on education, 879
psychic development of child, 637
relation of premature delivery to cerebral disturbances, 1344
Interferometry: See Serodiagnosis; etc.
Intestines: See also Cecum; Colon; Duodenum; Gastrointestinal Tract; Rectum
abnormalities of rotation of midgut; report of 4 cases, 420
abnormality; chronic ileus following encapsulating peritonitis, probably of congenital origin, 863
congenital anomaly in newborn, *566
congenital malformation of large bowel, 402
diverticula; acute inflammation of Meckel's diverticulum with intestinal obstruction, 630
diverticula; complications due to Meckel's diverticulum, 441
diverticula; elongated Meckel's diverticulum in child, *128
enteritis without colitis, 626
enterocolitis; dietetic treatment in infants with aleurone flours, 627
Obstruction: See also Intussusception; etc.

Intestines—Continued
obstruction; chronic ileus following encapsulating peritonitis, probably of congenital origin, 863
obstruction, congenital, of alimentary tract, 421
obstruction due to acute inflammation of Meckel's diverticulum, 630
occlusion in newborn, 1336
Parasites: See also Amebiasis; Ascariasis; Dysentery; Hookworm Infestation; Lambliasis; Tapeworm, infestation
parasites; control of fecal-borne diseases in North China; distribution of A. lumbricoides infestations in rural population, 412
pathogens; clinical use of desoxycholate and desoxycholate-citrate agars (new culture mediums) for isolation of intestinal pathogens, 165
roentgenography; importance of finding fluid level in intestine for diagnosis of abdominal ailments of childhood, 628
small; volvulus of whole small intestine, 441
tumor, intussusception due to, 862
volvulus and lymphatic cyst of mesentery in child, 422
volvulus caused by enormous number of ascarids, 629
Intoxication: See Alcoholism; Toxemia; etc.
Intravenous Injections: See Injections, intravenous
Intussusception, 195
double colic intussusception, *1031
due to intestinal tumor, 862
in infants, 628
Iodobenzomethylformine Salicylate: See Myelitis; Neuritis, optic
Iron in tissues, relation to hepatomegaly, 626
retention in childhood, 1311
Therapy: See under Anemia; etc.
Irradiated Milk: See Milk, irradiated
Ischium, osteochondritis ischiopubica in childhood, 657

Jacobi, M.: Hypoglycemia of newborn associated with hypertrophy and hyperplasia of islands of Langerhans, *330
Jaundice, catarrhal; hepatitis epidemica, 411
due to lymphocytoma of duodenum in child 12 years old; obstruction of principal biliary route, 1336
epidemic benign icterus in children, 412
familial, hemolytic, 418
human blood serum in treatment of anemia associated with jaundice in newborn, 621
nuclear, in neonatal (umbilical) sepsis with jaundice, 608
physiologic, hemoglobin metabolism in newborn with, 1062
sequels of icterus neonatorum gravis, 1317
spirochetal; Weil's disease in Brisbane, Australia, 179
Jenkins, R. L.: Influence of lethargic encephalitis on intelligence of children as determined by objective tests, *304
Jimenez, B.: Importance of coseasonal treatment with specific pollen antigen in cases of hay fever, 1125
Joints: See also under names of individual joints
Diseases: See Arthritis; Arthritis deformans; Rheumatism; etc.
tuberculosis; early diagnosis and treatment in children, 1328

Kahn Test: See under Syphilis
Kala-Azar: See Leishmaniasis
Kantrow, A. H.: Retardation of growth in diabetic children, *460
Kaplan, A.: Chronic subdural hematoma in child, *1034
Karelitz, S.: Prophylaxis against measles with globulin fraction of immune human adult serum, *768
Karlin, I. W.: Stuttering problem and suggested treatment, *383
Kaucher, M.: Metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
Kempton, R. M.: Tetanus problem and tetanus toxoid, 1114
Kennedy, L.: Stuttering problem and suggested treatment, *383
Keratitis, interstitial; late prenatal syphilis, with reference to interstitial keratitis; prevention and treatment, 1073
vaccinial; cytologic features in rabbit, 1065
Keratosis, hyperkeratosis subungualis congenita, or pachyonychia congenita, 651
Ketone Bodies: See under Acetone; Blood; Urine
Ketosis: See Acidosis
Kidneys: See also Genitourinary Tract; Urinary Tract
abnormal renal artery, 1097
Amyloid Degeneration: See Amyloidosis
congenital polycystic disease, 428
Diseases: See also under Hydronephrosis; Nephritis; Pyelitis
diseases; lipoid nephroses in children, 429
excision; salt and water metabolism of nephrectomized rabbits; effect of injection of water or glucose solutions, 869
tumor; operation on patient for malignant congenital tumor, with recovery, 1098
Klepser, R. G.: Possible mechanism for lowered resistance to pneumonia, 1121
Kline Test: See under Syphilis
Knee: See Patella
Koch's Bacillus: See Tubercle Bacilli
Köhler's Disease: See under Metatarsus
Kohn, J. L.: Anaphylactic gangrene following administration of horse serum; Arthus or Shwartzman phenomenon? 1018
Kugelmass, I. N.: Mental growth of epileptic children, *295

Labor: See also Placenta; Pregnancy; Puerperium; etc.
Complications: See Cesarean Section; Fetus; Newborn Infants; etc.
total magnesium in parturient women, 1062
Lachman, G. S.: Hysterical blindness in children; report of 2 cases, *743
Lactation: See also Infant Feeding; Milk
excretion and retention of cevitamic acid in women and children, 399
scarlet fever during, 615
Lactoflavin: See Riboflavin
Lactose, immaturity of organism as factor determining favorable influence of lactose on utilization of calcium and phosphorus, 1310
Lambliasis, intestinal, in family of 7, 1070
Langerhans' Islands: See under Pancreas
Language, neurolinguistic factors in child development, 880
Larynx, acute laryngotracheobronchitis, *667
Diphtheria: See under Diphtheria
paralysis and early hereditary neurosyphilis, 617
tuberculosis in children, 1083
Lateral Sinus Thrombosis: See Thrombosis, sinus
Laurence-Biedl Syndrome, Laurence-Moon-Biedl syndrome, 871
Laurence-Moon-Biedl syndrome; record of case, 432
Lauterbach, L. F.: Acute lymphocytic meningitis, 1124
Law, J. L.: Insensible loss of weight in infancy; findings for 46 infants under basal conditions, *966
Lead Poisoning associated with active rickets; report of case with absence of lead lines in skeleton, *798
comparison of punctate basophilia and ratio of large to small lymphocytes in diagnosis and prevention of lead poisoning, 445
peripheral neuritis due to, 425
Learning and imagery, 636
Lecithins: See under Lipoids
Lederer's Anemia: See Anemia, hemolytic
Legs, Gangrene: See Gangrene
Leiner's Disease: See Erythroderma desquamativa
Leishmaniasis, diagnosis; search for parasite by means of dermal scarifications, 1326
phagocytic function of reticuloendothelial system in visceral leishmaniasis of children as demonstrated by congo red test, 180
Lenticular Nucleus, degeneration; hepatolenticular degeneration (Wilson's disease) complicated by blood changes, 201
peculiar syndrome of pallidal origin; erythremia with chorea, 1090
Leptospira: See Jaundice, spirochetal
Leslie, C. J.: Bacteriology of blood in rheumatic fever, *472
Pulmonary echinococcosis, *1267
Lesser, A.: Acute phosphorus poisoning, *1280
Leukemia, fowl leukosis, 620
lymphatic, coincidental with chickenpox, 174
lymphatic, with pertussis, 621
Leukocytes: See also under Blood; Eosinophils; Leukemia; Lymphocytes; Mononucleosis; etc.
comparison of punctate basophilia and ratio of large to small lymphocytes in diagnosis and prevention of lead poisoning, 445
leukopenic index with reference to variations in normal white blood cells, 418
Leukopenia: See Angina, agranulocytic; Leukocytes
Leukosis: See Leukemia
Lichen spinulosus, eruption resembling lichen scrofulosorum coincident with nontuberculous pulmonary disease, 437
Light, Therapy: See Ultraviolet Rays; and under names of diseases
Lighting, light in schoolroom, 1314
Limbs: See Arms; Extremities; Legs
Lip Reading: See Deaf
Lipemia: See Blood, fats and lipoids
Lipids: See under Blood; Lipoids
Lipoidosis: See Idiocy, amaurotic; Schüller-Christian Syndrome; Xanthoma
Lipoids: See also Cholesterol; Fat
effect of lecithin on streptococcal and staphylococcal hemolysin, 165
Nephrosis: See Kidneys, diseases
Lipoma, lipomatosis in insulin-injected areas in diabetic boy aged 13½ years, 642
Lipomatosis: See Fat; Lipoma
Lips, Harelip: See Harelip
Liver, antirachitic efficacy of, *913
cancer; primary carcinoma of liver in childhood; report of 2 cases; review of literature, *807
cancer, primary, in child, 423
cirrhosis; hepatosplenomegaly (?); idiopathic cirrhosis, 626
Diseases: See Pick's Syndrome
Extracts: See also under Anemia
extracts and hepatic function, 864
extracts, effect on fibrinogen and other coagulation factors in blood of child, 418
extracts, human; hemopoietic activity of human liver, 863
fat content; effect of adrenalectomy and thyroidectomy on liver fat content of albino rat after injections of anterior pituitary extract, 871
function, relation to vitamin C, 1313
function tests; galactose tolerance test in childhood, 1111
functional disorders, treatment with liver extract, 864
hepatic necrosis, 192
hepatomegaly (?); cause, 862
hepatomegaly; iron therapy in hepatomegaly, 626
hepatosplenomegaly (?); idiopathic cirrhosis, 626
Hypertrophy: See Liver, cirrhosis
Oils: See Cod Liver Oil
role as commissariat of body, 828
tumor; adenoma, *792
tumor; primary epithelioma of liver in infant of 3 months, 863

Long, A. P.: Hospital infections; survey of problem, *579

Lordosis: See Spine, curvature

Lues: See Syphilis

Luminal: See under Phenobarbital

Lungs: See also Pleura; Respiration; Respiratory Tract; Thorax; etc.
abscess, postoperative, causing eruption resembling lichen scrofulosorum, 437
Actinomycosis: See Actinomycosis, pulmonary
afebrile glandular and pulmonary syndrome in syphilitic newborn infant, 617
Collapse: See also Pneumothorax
collapse; postoperative pulmonary atelectasis, 625
cystic; pulmonary cystic image, gradual disappearance in infant 4 months old, 861
cysts and pulmonary pneumocele (localized alveolar or lobular ectasia), 1120
cysts; report of 3 cases, 1084
disease; eruption resembling lichen scrofulosorum coincident with nontuberculous pulmonary disease, 437
hernia; pulmonary pneumocele (localized alveolar or lobular ectasia) and cystic disease of lung, 1120
involvement of chest, 1120
lesions presumably due to sarcoid, 192
pulmonary echinococcosis, *1267
syphilis, congenital; clinicoanatomic study of white pneumonia, 417
Tuberculosis: See Tuberculosis, pulmonary
vasomotor mechanism, 625
Vital Capacity: See Vital Capacity

Lupus, verrucous, and primary glandular and pulmonary tuberculosis, with left-sided diaphragmatic paresis, in child 2½ years old, 618

Lymph Nodes: See also Lymphogranuloma; etc.
adenitis; acute cervical adenitis, treatment with roentgen rays, 435
cervical; tuberculous glands of neck in children; results of surgical treatment, 416
mesenteric; lymphoblastic sarcoma in boy of 22 months, 436
primary tuberculous lesion of cheek of lupoid appearance, 876
tracheobronchial adenopathy; speed of sedimentation of red blood cells in patients during sojourn at seashore, 183
tuberculous; abrupt onset of tuberculous hilar adenitis following measles, 1076
tuberculous; emphysema caused by partial compression of bronchus by tuberculous lymph nodes, 1077
tuberculous; perforation of tuberculous mesenteric gland, 417
tuberculous; primary glandular and pulmonary tuberculosis with left-sided diaphragmatic paresis and verrucous lupus in child 2½ years old, 618

Lymphatism, lymphatic diathesis, 446

Lymphocytes: See also Leukemia; Leukocytes
comparison of punctate basophilia and ratio of large to small lymphocytes in diagnosis and prevention of lead poisoning, 445
in Meningitis: See Meningitis

Lymphocytoma of duodenum in child 12 years old: obstruction of principal biliary route, 1336

Lymphogranuloma, malignant lymphogranulomatosis with palpebral tarsal involvement, 648
venereum, observations on Frei test, 212

Lymphosarcoma: See under Sarcoma

McBurney's Point: See under Appendicitis

McCabe, E. J.: Anaphylactic gangrene following administration of horse serum; Arthus or Shwartzman phenomenon? 1018

McIntosh, J. F.: Sclerema neonatorum, subcutaneous fat necrosis, *112

McKhann, C. F.: Hospital infections; survey of problem, *579
Problem of cross infections in infant's and children's hospital, 220

MacMahon, H. E.: Hypertrophy of heart in infants, *93

Macrogenitosomia: See Adolescence, precocious puberty

Macula lutea, familial macular colobomas, 1104

Macy, I. G.: Addition of vegetable soup and strained vegetables to diet of artificially fed infants, *1158
Hemoglobin differences in healthy white and Negro infants, *776

Magnesium, in Blood: See under Blood
Sulfate: See under Edema

Malaria, first 12 months of infancy as test for community incidence of initial attacks of malaria, 846
subtertian, relation to gangrenous stomatitis, 630
Therapeutic: See under Dystrophy, muscular; Poliomyelitis
therapy; dosage in treatment of malaria of childhood, 1326

Malformations: See Abnormalities and Deformities; Monsters; and under names of organs and regions

Mammary Gland: See Breast

Marble Bones: See Osteosclerosis fragilis

Marcovitz, E.: Pathologic background of cerebral diplegia, *356

Marriage, biotypologic card as basis for betterment of future generations in Panama, 169

Martoccio, R. J.: Abstract of papers presented at Fourth International Pediatric Congress, 652

Masks, efficacy of, *594

Mastoiditis, acute; indications for operation, 858
in infants, 1081
latent otomastoiditis and acute dehydration in infants, 1082
medical treatment, 1081
thrombosis of ophthalmic vein during generalized infection with mastoiditis; Str. viridans in blood culture, 625

Maternity, agencies for protection of mothers and small infants in Switzerland, 837
bond of motherhood, 170
protection of mothers and infants in Argentina, 835
welfare, responsibility of official agency, 1314

Measles, complications and sequels; abrupt onset of tuberculous hilar adenitis following measles, 1076
complications; perivenous changes in acute encephalitis associated with vaccination, variola and measles, 172

Measles—Continued
encephalitis associated with epilepsy of hypothalamic origin, 635
encephalitis of apoplectic type in boy of 8 years, 613
encephalomyelitis followed by precocious puberty; relation of intracranial tumors and inflammatory processes to syndrome of macrogenitosomia praecox, 197
etiology; microscopic study, 840
German: See Rubella
histologic diagnosis, 406
immunity; immune globulin (human) in prevention of measles, 841
immunity; infections caused by injections of maternal blood, 219
immunity; prevention of deaths from measles, 404
immunity; prophylaxis with globulin fraction of immune human adult serum, *768
immunity; protection phenomenon in measles; Debré phenomenon or Aussparphänomen, *1257
immunity; use of placental globulin to prevent and modify measles, 404
immunization; value of convalescent blood and immune adult blood in control of measles, 1319
influence on tuberculous infection, 619
morbilli bullosi, 612
sequels; postmorbillous gangrene; report of case, 1323
simultaneous with scarlatina, 175
skin capillaries in, 176
therapy; vaccine treatment, 613
Meckel's Diverticulum: See Intestines, diverticula
Mediastinum, mediastinitis; clinical study, with practical anatomic considerations, 1083
tuberculous tumor of; cerebral metastasis, 1329
Medicine, medical training in U. S. S. R., 445
Megacolon: See Colon, dilatation
Megalencephaly, cytoplastic bodies in case of, 1341
Melanoblastoma and melanoblastosis; anatomic study, 1338
Melanoma, malignant, simulated by multiple malignant hemangioendotheliomas in infant, *559
Melby, E. O.: Organic theory of mind and its bearing on education, 879
Melena, neonatorum; raw apple dietary in treatment of diarrhea complicating melena, 1061
Mellencamp, F.: Present status of knowledge on filtrable virus as cause of common cold, 1121
Melorheostosis: See Osteosclerosis
Meninges, hemorrhage; chronic subdural hematoma in child, *1034
hemorrhage; diagnosis of chronic subdural hematoma of traumatic origin, 1343
permeability; passage of bacteriophage from blood to cerebrospinal fluid, 1093
Meninges—Continued
subdural abscess due to infections with S. suipestifer (hog-cholera bacillus) in childhood, with report of case of bilateral abscess ending in recovery, *553
tumors; meningioma; value of tests of olfactory acuity for diagnosis, 1341
Meningioma: See Meninges, tumors
Meningitis: See also Meningococci; Meningoencephalitis
acute, lymphocytic, 425
benign acute lymphocytic meningitis, 1089
Brucella melitensis meningitis in infant, 1325
cerebrospinal; paralytic form, 866
cerebrospinal, pathogenesis of, 426
choriomeningitis; occurrence in serums of man and monkeys of protective antibodies against virus of lymphocytic choriomeningitis as determined by serum-virus protection test in mice, 846
comparison of meningeal and other strains of H. influenzae, 165
conditions simulating meningitis, 1114
cultivation of virus of lymphocytic choriomeningitis in developing chick embryo, 397
diagnosis in infants, 1112
diphtheritic, of otitic origin and other complications of diphtheritic otitis, 1069
epidemic; differential diagnosis from other forms of meningeal irritations, 1318
from chickenpox, 406
from mumps, 613
influenzal; report of case, with recovery, 196
influenzal, with complete recovery, 200
lesions of central nervous system in course of epidemic parotitis in children, 615
lymphocytic, acute, 1124
meningococcic, treatment with sulfanilamide, 173
meningococcic; Waterhouse-Friderichsen syndrome (renal apoplexy), 615
otitic, diagnosis in infants, 1112
otitic, streptococcic, with recovery, 196
purulent, caused by P. vulgaris, 201
rabies meningitis, 181
relation to passage of bacteriophage from blood to cerebrospinal fluid, 1093
streptococcic, hemolytic; treatment with para-aminobenzene-sulfonamide or its derivatives, 197
streptococcic, hemolytic; treatment with para-aminobenzene sulfonamide; report of case with recovery, 424
streptococcic, nonhemolytic, 425
streptococcic, otogenic, 1340
streptococcic, therapy; clinical use of sulfanilamide and its derivatives in treatment of infectious diseases, 1324
streptococcic; treatment with sulfanilamide in 2 cases, 865
syphilitic, hereditary, and tuberculous meningitis, 1089
treatment with sulfanilamide, 1115
tuberculous, 184

Meningitis—Continued
tuberculous, and hereditary syphilitic meningitis, 1089
tuberculous; multiple tuberculomas in brain of child, 633
tuberculous; time of appearance in course of tuberculous infection, 1076
tuberculous; tryptophan reaction as aid to early diagnosis of meningeal tuberculosis, 1328
tuberculous; tryptophan test for diagnosis of tuberculous meningitis, 851
Meningocele: See Spina Bifida
Meningococci: See also under Meningitis
meningococcemia without meningitis, 404
sulfanilamide, serum and combined drug and serum therapy in meningococcic infections in mice, 404
Meningoencephalitis: See also Encephalitis; Meningitis
infectious, differentiated from typhoid encephalitis, 181
tuberculous, and Froin's syndrome; case report, 417
Menstruation, mechanical presentation of effects and interrelations of human sex-endocrine factors during menstrual cycle, 1122
precocious puberty in infant, 1097
Mental Diseases: See Feeblemindedness; Nervous and Mental Disabilities; Neuroses and Psychoneuroses; etc.
Mercury poisoning, fatal accident in infant with hereditary syphilis treated by mercurial inunctions, 1329
Mesentery, Lymph Nodes: See Lymph Nodes
lymphatic cyst of mesentery and volvulus in child, 422
Metabolism: See also under specific headings, as Carbohydrates, metabolism; Minerals, metabolism; etc.
basal findings for 46 infants with regard to insensible loss of weight, *966
basal standards for children, *455
disturbances associated with hyperostosis cranii and internal hydrocephalus, 646
effect of benzedrine sulfate on metabolism of children, 1310
insensible perspiration in children; studies on influence of salt, *1176
metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
of dwarf under treatment with growth hormone, 207
Metaphen: See Tularemia, therapy
Metatarsus, case of early Köhler's "second disease," 1103
metatarsal epiphysitis, or Freiberg-Köhler's disease; case report, 1102
Methenamine, Therapy: See Urinary Tract, infections
Methyl Salicylate: See under Salicyl Compounds
Mexico, physiology of newborn in, 1063
Mice, tuberculosis in wild voles, 182
Microsporosis, ringworm of scalp; clinical and experimental studies in types of infection resistant to treatment, 1106
Micturition: See Urination
Migraine associated with recurrent vomiting in children; etiology and treatment, 421
in children and youths, 634
Milk: See also Infant Feeding
acidified, indications for, 830
copper in milks of certain animals, 602
effect of boiling on nutritive value of milk, 398
Human: See also Lactation
human; action of thyroid hormone on excessive fats in mother's milk, 830
human, copper in, 602
human, lactoflavine in, 1311
human; significance of copper content, 831
human; tobacco and nursing; note on hygiene of nursling, 166
irradiated; effect compared with that of vitamin-D oils on inhalation tuberculosis of guinea pigs, 413
irradiated; effect on experimental inhalation tuberculosis in guinea pigs, 848
milk-borne epidemic of scarlet fever, 1321
milk-borne epidemic of tuberculosis, 1077
milk-borne outbreak of scarlet fever and tonsillitis in Doncaster, England, 612
modification of cow's milk for infant feeding, 1311
vitamin C in concentrated and powdered milks, 833
Miller, P. R.: Hypothyroidism as cause of disease of hip, *1189
Minerals: See also Iron; etc.
metabolism in early infancy; relation to problem of artificial feeding, 652
metabolism, relation of ascorbic acid ingestion to mineral metabolism in children, 1059
Mitchell, A. G.: Metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
Relation of endocrine disturbances to certain heredodegenerative symptoms, *231
Mitchell, G. F.: Tuberculous pericarditis and Pick's disease, 1119
Mitral valve, stenosis, 623
Molds: See Fungi
Mongolism, mongoloid idiots attaining great age, 203
mongoloid imbecility in Negro, 635
role of advanced maternal age in causing mongolism; study of 2,822 cases, *79
treatment, 202
Monocytes: See Mononucleosis; etc.
Mononucleosis, infectious; glandular fever, 411
infectious; glandular fever with relapses, 1073
Monsters, anencephaly, 1316
Moon-Laurence-Biedl Syndrome: See Laurence-Biedl Syndrome
Morquio's Disease: See Bones, atrophy

Mortality Statistics: See Infant Mortality; Newborn Infants, mortality
Mouth: See also Angina, Vincent's; Gums; Stomatitis; etc.
cirsoid aneurysm involving floor of mouth, 187
multiple epithelial cysts of oral mucous membrane in newborn, *340
self-cleansing, 443
Mucous Membrane: See Mouth; etc.
Mumps: See Parotitis
Munday, B.: Hemoglobin differences in healthy white and Negro infants, *776
Muscles, Atrophy: See Atrophy, muscular
Contractions: See Spasm
creatinine coefficient as index of muscle mass, *42
Dystrophy: See Dystrophy, muscular
Glycogen: See Glycogen
Tonus: See Myotonia
Music, musicogenic epilepsy, 631
Mustard oil in epidemiology of epidemic dropsy, 217
Mutism: See Deaf-Mutism
Myalgia, Epidemic: See under Myositis, epidemic
Myasthenia gravis in child 3½ years old, 213
Myelitis: See also Encephalomyelitis
acute optic neuritis and myelitis and intercurrent varicella treated with fixation abscess and iodobenzomethylformine salicylate; cure without sequelae, 1343
Myocarditis, diphtheritic, 405
Myositis, epidemic myalgia in children, 846
Myotonia Congenita, investigation of family with Thomsen's disease, 1091
pathogenesis and treatment, *945
Myxedema: See also Thyroid, hypothyroidism
diagnosis in children by means of determinations of blood cholesterol, 875

Nails, abnormalities; congenital ectodermal defect, 438
hyperkeratosis subungualis congenita, or pachyonychia congenita, 651
Neck, abnormality; child with long neck, 1061
Fistula: See Fistula
massive cervical hemangioendothelioma in newly born, *124
Necrosis: See under Fat; Osteochondritis; etc.
Negroes, hemoglobin differences in healthy white and Negro infants, *776
hemophilia in; 3 cases and 2 genealogic charts, 621
mongoloid imbecility in Negro, 635
Neil, B.: Relation of creatinine-height coefficient to various indexes of nutrition, *532
Nelson, W. E.: Diet in treatment of diabetes mellitus in children, *487
Nematodes: See Ascariasis; Hookworm Infestation; Oxyuriasis; etc.
Neoplasms: See Cancer; Sarcoma; Tumors; etc.
Nephrectomy: See Kidneys, excision
Nephritis: See also Hematuria; Uremia; and under Kidneys
acute postinfectious hemorrhagic nephritis, Addis count in children with, 427
hemorrhagic, acute, cardiac complications of, *244
hemorrhagic; 3 major complications of acute nephritis in children; prevention and treatment, 1097
metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
or nephrosis, 430
postscarlatinal, 405
therapy; acacia in nephrotic edema, 868
therapy; use of parathyroid extract, 1098
Nephrosis: See Kidneys, diseases; Nephritis
Nerves, intercostal; topographic and anatomic point of twelfth intercostal nerve with reference to interpretation of localizing value of McBurney's point, 1309
Optic: See also Neuritis, optic
optic, atrophy, and early hereditary neurosyphilis, 617
optic; ophthalmic herpes zoster, 215
optic, tumor of, 1104
Paralysis: See under Paralysis
roots; polyradiculitis with dissociation of albumin and cell content of spinal fluid, 632
roots; polyradiculoneuritis of undetermined origin with albuminocytologic dissociation of spinal fluid, 866
roots; syndrome of polyradicular neuritis of Guillain and Barré occurring in child, 1344
Nervous and Mental Disabilities: See also Chorea; Encephalitis; Feeblemindedness; Idiocy; etc.
functional nervous diseases in children, 635
mental growth of epileptic children, *295
neuropsychic disorders in children from clinical and social point of view, 652
objective ratings of constitution of growing child based on examination of physical development and mental expansion, *149
stutter-type child; speech index of neurotic behavior, 866
Nervous System: See also Brain; Cerebellum; Nerves; Reflex; Spinal Cord; etc.
changes after experimental C hypervitaminosis, 1060
Diseases: See Epilepsy; Neuritis; Neuroses and Psychoneuroses; etc.
neurolinguistic factors in child development, 880
serum disease of, 424
sympathetic; relation of autonomic nervous system to pathogenesis of epilepsy, 630
sympathetic; vegetative nervous system in scleroderma, 218
Vegetative: See Nervous System, sympathetic

Neuritis, Multiple: See Nerves, roots
optic; acute optic neuritis and myelitis and intercurrent varicella treated with fixation abscess and iodobenzomethylformine salicylate; cure without sequelae, 1343
optic; toxic neuritis resulting from sulfanilamide, 1109
peripheral, due to lead, 425
polyradicular, syndrome of neuritis of Guillain and Barré occurring in child, 1344
Neuroblastoma of adrenal medulla; morphology, 1100
Neurofibromatosis, von Recklinghausen's, in children, 875
Neuropsychiatry, biogenetic trends, 1095
Neuroses and Psychoneuroses, functional nervous diseases in children, 635
heredity and constitution in etiology of psychic disorders, 867
hysterical blindness in children; report of 2 cases, *743
neuropsychic disorders in children from clinical and social point of view, 652
Neutropenia: See Angina, agranulocytic
Neutrophils: See Leukocytes
Newborn Infants: See also under names of diseases; as Asphyxia, neonatorum; Conjunctivitis; Jaundice; Meningitis; Necrosis; Syphilis; etc.
Birth Injuries: See also Paralysis, obstetric
birth injuries, 170
birth injuries causing cerebral spastic paralysis; treatment, 881
birth injuries causing sclerema neonatorum, subcutaneous fat necrosis, *112
birth injuries; clinicoanatomic and histologic study of obstetric paraplegia; ventriculography, 632
birth injuries; pathologic background of cerebral diplegia, *356
birth injury as cause of retarded development in childhood, 1095
blood formation in, 185
care of skin; 6 year study of 3,500 infants, 608
chylothorax of, 171, 609
congenital absence of skin areas, 651
congenital intestinal anomaly, *566
conservation of blood iron during period of physiologic hemoglobin destruction, 185
diagnosis of syphilis by means of quantitative Wassermann tests, *979
electrocardiograms of, 1063
epidemic diarrhea of; clinical considerations, *1288
epidemic diarrhea of; outbreaks of highly fatal diarrhea of undetermined etiology in hospital nurseries, 1062
gaseous properties of umbilical blood of normal and asphyxiated infants, 1063
goiter in, 433
gonoblennorrhea neonatorum; etiology of; report of case, 609
hemorrhage causing cerebral diplegia, *357
Newborn Infants—Continued
hemorrhages; influence of pregnancy in intracranial hemorrhages, 609
hydrogen ion concentration of umbilical blood of normal and asphyxiated infants, 1063
hyperkeratosis subungualis congenita, or pachyonychia congenita, 651
hypoglycemia associated with hypertrophy and hyperplasia of islands of Langerhans, *330
immunity to smallpox vaccination, 1067
intestinal occlusion in, 1336
intrauterine fractures; report of 2 cases, 403
massive cervical hemangioendothelioma in newly born, *124
mechanical resuscitation of, 1062
mortality; relation to placental infection in induced labor, 834
multiple epithelial cysts of oral mucous membrane, *340
multiple malignant hemangioendotheliomas, *559
normal hemopoiesis in liver at birth, 1079
osseous evidences of disturbed prenatal and neonatal growth of infants aged 1 month, *1248
oxygen dissociation curve of hemoglobin in umbilical blood; gases in umbilical blood, 1317
physiology of newborn in Mexico, 1063
prophylaxis in newborn period, 1062
salmonella infection in, 171
suppurative parotitis of, 1316
syndrome of hemorrhagic disease of, 171
syphilotoxemia in, 1073
total magnesium in, 1062
weight of baby at birth, 172
Nicotine intoxication in babies, 878
poisoning, tobacco and nursing; note on hygiene of nursling, 166
Nixon, N.: Undescended testicle, *1037
Noma: See Stomatitis, gangrenous
Nose: See also Otorhinolaryngology; Rhinitis; Smell; etc.
bacteriology; filtrable virus as cause of common cold, 1121
disorders; Haiman correlation of vasomotor symptoms associated with nasal manifestations in children, 189
nasal suppuration in infancy; biologic treatment, 1082
pathogenic staphylococci in anterior nares; incidence and differentiation, 624
rhinopharyngitis; angina and pharyngitis, 625
Noyes, H. J.: Multiple epithelial cysts of oral mucous membrane in newborn infant, *340
Nungester, W. J.: Possible mechanism for lowered resistance to pneumonia, 1121
Nutrition: See also Diet and Dietetics; Food; Infant Feeding; Metabolism; Vitamins; etc.
disturbances and metabolism, *459

Nutrition—Continued
effect on growth norms from birth to age of 5 years of children reared with optimal pediatric and home care, *1233
problems in education, 1313
relation of creatinine-height coefficient to various indexes of nutrition, *532

Obesity: See also Laurence-Biedl Syndrome; Pituitary Body, diseases
and basal metabolism, *457
and endocrine disturbances, *233
endocrine obesity in children; clinical and laboratory studies and results of treatment, 642
following chorea, 1342
measurement by creatinine coefficient, *42
of adrenal origin and cutaneous dystrophy, 210

OBITUARIES:
Bonar, Barnet E., 161
King, Frederic Truby, 601
Schroeder, Louis Clausen, 826

Obstetric Injuries: See Newborn Infants, birth injuries

Oil: See also Cod Liver Oil; Fat; Olive Oil; etc.
Liver Oils: See Cod Liver Oil; and under Rickets

Olive oil, effect on blood content of sugar, 167

Ollier's Disease: See Chondrodysplasia

Omphalia lapidescens, new anthelmintic fungus, raigan, in teniasis, 412

Open Air Treatment, open air schools and colonies in North and South America, 170
open air schools in United States, 170
fresh air treatment of bronchopneumonia in children, 861

Opium poisoning, unusual case in childhood, 219

Opsonins, opsonocytophagic test in study of pertussis, 611

Oranges, cevitamic acid content, 1122

Orthopedics for children, with special consideration of congenital malformations, 442

Osteitis, acute, treatment with bismuth-iodoform-paraffin paste, 436
deformans, Paget's disease in child, 214
Tuberculous: See under Bones

Osteoarthritis due to B. paratyphosus B in 3 infants, 1101

Osteochondritis deformans juvenilis, Perthes' disease, 212
ischiopubica in childhood, 657
of hip due to hypothyroidism, *1189
syphilitic, with pseudoparalysis of Parrot, 1329
vertebral, associated with congenital fragility of bones, 647

Osteogenesis Imperfecta: See Bones, fragility

Osteomyelitis: See also Skull
acute, hematogenous, 211
acute, hematogenous, with adjacent joint infection, 435
excretion of vitamin C in, 833
treatment; bactericidal action of pectin, 602

Osteoporosis: See Bones, atrophy

Osteosclerosis fragilis, marble bone disease, 214
melorheostosis Léri, *1273

Otitis Media, acute; indications for operation, 858
causing relapsing facial paralysis in same family, 1340
chronic, suppurative, 624
Complications and Sequels: See Brain, abscess; Meningitis, otitic
diphtheritic meningitis of otitic origin and other complications of diphtheritic otitis, 1069
in infancy, 1333
in nurslings, 1083
large encapsulated abscess of right lobe following latent otitis in child; excision in 1 piece without drainage; cure, 1088
osteomyelitis of skull of otitic and paranasal sinus origin, 211
otitic complications of scarlet fever, 1069

Otorhinolaryngology, errors made in diagnosis and management of ear, nose and throat conditions, 857

Otosclerosis, fragilitas ossium and blue scleras; report of case, 434

Ovary: See also Estrogens; Hormones
extract from adrenal gland causing luteinization of ovaries and endometrial hyperplasia, 872
granulosal cell tumors; report of 3 cases, 1345
hormone; progestin and estrin of 19 placentas from normal and toxemic women, 209
radiation of; effects of hypophysial implants from guinea pigs with irradiated ovaries on sex organs of immature guinea pigs, 641
tumors in infancy and childhood, 638

Oxycephaly: See Acrocephaly

Oxygen, consumption of; effect of female sex hormones on oxygen consumption rate of normal rats and on tolerance to desiccated thyroid, 206
Therapy: See under Stomatitis

Oxyuriasis, development cycle of oxyuris; importance in practice of medicine, 397
in infant, 847
therapy with single doses of tetrachlorethylene, 845
types of anal swabs and scrapers; description of improved type of swab, 177

Pachman, D. J.: Progressive generalized (diffuse) scleroderma with sclerodactylia and calcinosis, *135

Pachyonychia: See Keratosis; Nails

Paget's Disease: See Osteitis deformans

Pain: See Abdomen, pain; etc.
Pakter, J.: Influence of vitamin C on diphtheria toxin, *12
Palate, cleft; anesthesia for operations on babies, 441
cleft; treatment of cleft-palate speech, 625
Palsy: See Paralysis
Pancreas, hypoglycemia of new-born associated with hypertrophy and hyperplasia of islands of Langerhans, *330
relation of thymus to endocrine function of pancreas, 644
Panner's Disease: See Humerus, pathology
Paralysis: See also Extremities, paralysis; Hemiplegia; Poliomyelitis; etc.
Birth: See Paralysis, obstetric
cerebral, and prognostic significance of tonic neck reflexes in children from prognostic standpoint, *696
cerebral palsy in childhood and modifications of Babinski toe sign, 865
cerebral spastic paralysis; treatment, 881
facial; flaccid paralysis following stovarsol treatment of amebic dysentry, 175
facial; relapsing facial paralysis in same family, 1340
facial; trigeminofacial cervical reaction with complete involvement of facial nucleus in anterior poliomyelitis, 172
General: See Dementia paralytica
Infantile: See Poliomyelitis
obstetric, of left phrenic nerve, associated with paralysis of brachial plexus on same side; case report, 1089
pathologic background of cerebral diplegia, *356
phrenic; case of obstetric paralysis of left phrenic nerve, associated with paralysis of brachial plexus on same side, 1089
pseudobulbar (striopontile form), in young persons, 634
Werdnig-Hoffmann: See Atrophy, muscular
wood tick paralysis in children, 1341
Paraplegia, *365
Parasites: See Intestines, parasites; and under names of parasitic diseases, as Distomiasis; etc.
Parathyroid, case of juvenile hyerparathyroidism? 1347
diagnosis of hyperparathyroidism; discussion of cases of minimal degree of hyperparathyroidism, 870
endocrines in theory and practice, 432
therapy, nephritis and parathyroid extract, 1098
Parathyroidectomy, Results: See Tetany
Paratyphoid A in Netherlands, 182
Bacilli: See under Salmonella
vaccines, potency when freshly prepared and after storage, 408
Paresis: See Dementia paralytica
Parietal Bone: See Foramen, parietal
Parkinsonism in lethargic encephalitis; relation to intelligence of children, *304
Parotitis during typhoid, 180
effect of mumps on Wassermann reaction, 405
epidemic, followed by fatal lesion of brain, 1070
epidemic; lesions of central nervous system in course of epidemic parotitis in children, 615
meningitis from mumps, 613
ocular paralyses after mumps, 405
suppurative, of newborn, 1316
Parrot's Disease: See Pseudoparalysis
Parturition: See Labor
Patella, congenital dislocation posteriorly, 436
Peatman, J. G.: Growth norms from birth to age of 5 years; study of children reared with optimal pediatric and home care, *1233
Pectin, bactericidal action of, 602
Pedagogy and psychotherapy, 202
Pediatric societies, directory of, 224, 448, 660, 890, 1134, 1356
Pediatrics, preventive, for practicing physician, 1109
review of recent literature, 219
Peirce, C. B.: Pulmonary pneumocele (localized alveolar or lobular ectasia) and cystic disease of lung, 1120
Pellagra, chemical peculiarity of pellagra blood, 168
Penis, foreskins as skin grafts, 1108
Peptic ulcer and elongated Meckel's diverticulum in child, *128
Peptides in Blood: See under Blood
Percomorph Liver Oil: See under Rickets
Pericarditis, diagnosis in infants, 1332
purulent; involvement of chest, 1120
Rheumatic: See Rheumatic Fever, heart in
tuberculous, and Pick's disease, 1119
Peritoneum, tuberculosis of, 184
tuberculous peritonitis of ascitic form in child 17 months old, 1329
Peritonitis, encapsulating, followed by chronic ileus, probably of congenital origin, 863
following rupture of suppurative mesenteric gland in course of typhoid, 1071
in cases of acute appendicitis in children, *511
Tuberculous: See under Peritoneum
Peritonsillitis: See Abscess, peritonsillar
Perspiration: See Metabolism; Sweat
Perthes' Disease: See Osteochondritis deformans juvenilis
Pertussis: See Whooping Cough
Petroleum, dermatitis bullosa caused by, 439
Phalanges: See Fingers and Toes
Phelps, W. M.: Care and treatment of cerebral spastic paralysis, 881
Phenobarbital: See under Barbital and Barbital Derivatives; etc.
Phillips, W. R.: Protection phenomenon in measles; Debré phenomenon or Ausspar-phänomen, *1257
Phlegmasia alba dolans; report of case, 441

Phosphatase in Blood: See Blood, phosphatase
Phosphorus, metabolism and mode of action of vitamin D; importance of liver for its antirachitic efficacy, *913
metabolism, immaturity of organism as factor determining favorable influence of lactose on utilization of phosphorus, 1310
metabolism; metabolic background of rickets, 1312
poisoning, acute, *1280
Physical therapy in pediatrics, 877
Pick's syndrome and tuberculous pericarditis, 1119
Picrotoxin, Therapy: See under Barbital and Barbital Derivatives
Pigmentation, cutaneous, and vitamin C, 1059
cutaneous; dyschromia of face; report of 3 cases, 876
Pineal Gland and thymus, 209
extirpation of huge pinealoma from patient with pubertas praecox; new operative approach, 205
function, 1100
tumor; surgical treatment, 1099
Pink Disease: See Acrodynia
Pinworm Infestation: See Oxyuriasis
Pirquet Test: See Tuberculin Reactions
Pituitary Body, carcinoma of hypophysis in 9 year old boy, 644
Diseases: See also Laurence-Biedl Syndrome; Obesity; etc.
diseases; action of hypophysial extracts and of thyroxin on hereditary hypophysial infantilism in mice, 210
diseases; case of hypophysial infantilism, 644
disease; therapy of neglected thyropituitary disease at age of puberty, 1099
excision; carbohydrate metabolism studies of hypophysectomized rats, 207
excision; restoration of muscle glycogen in hypophysectomized frog, 210
increased acoustic sensitivity in dogs after roentgen radiation of hypophysis, 1332
relation of vitamin E to anterior lobe, 833
transplantation; effects of hypophysial implants from guinea pigs with irradiated ovaries on sex organs of immature guinea pigs, 641
transplantation; effects of hypophysial implants from normal mature guinea pigs on sex organs of immature guinea pigs, 641
tumor; value of tests of olfactory acuity for diagnosis of pituitary tumor, 1341
Pituitary Preparations, action of hypophysial extracts on hereditary hypophysial infantilism in mice, 210
clinical results of anterior pituitary therapy in children, 871
cryptorchidism treated with gonadotropic principle, *273
effect of adrenalectomy and thyroidectomy on ketonuria and liver fat content of albino rat after injections of anterior pituitary extract, 871
effects of anterior lobe administration on diabetes insipidus in cat, 205
metabolism of dwarf under treatment with growth hormone, 207
Pituitary Preparations—Continued
site of antagonistic action of posterior pituitary extracts on insulin hypoglycemia, 1346
specificity of thyrotropic action of anterior pituitary gland, 871
Placenta, case of partial chorionic degeneration of placenta with premature live fetus, 1315
extracts, pharmacologic study on galactogenic placental extracts, 87
extracts, use in infectious and contagious diseases, 843
globulin in prevention and modification of measles, 404
infection in induced labor; relation to fetal and neonatal mortality, 834
progestin and estrin of 19 placentas from normal and toxemic women, 209
Play, games of children; influence on hygiene, 868
Pleura, Diseases: See Pleurisy
Pleurisy, nontuberculous purulent pleurisy associated with retroparietal residual cavity; treatment, 860
Pleurodynia, Epidemic: See Myositis, epidemic
Plumbism: See Lead, poisoning
Pneumocele: See Lungs, hernia
Pneumococci, Infections: See also under Pneumonia
infections; sulfanilamide, serum and combined drug and serum therapy in pneumococcic infections in mice, 404
type 3, action of p-aminobenzenesulfonamide on type III pneumococcus in mice, 445
Pneumonia: See also Bronchopneumonia
acute; treatment with artificial pneumothorax, 860
etiology, pathogenesis and pathologic physiology of pneumonia in infancy, 192
possible mechanism for lowered resistance to pneumonia, 1121
quantitative capsule-swelling tests in blood serum of patients with pneumonia, 408
silent, in children, 1085
treatment in children by stimulation with fresh air, 626
treatment; review of treatment in early infancy, 625
white; clinicoanatomic study of congenital pulmonary syphilis, 417
Pneumothorax, Artificial: See under Pneumonia; Tuberculosis, pulmonary
benign idiopathic spontaneous pneumothorax; case in which cutaneous and intradermal reactions to tuberculin were negative, 1085
spontaneous, in course of nontuberculous pulmonary diseases; clinical and prognostic observations, 861
spontaneous nontuberculous pneumothorax in childhood, 193
Poisons and Poisoning: See under Spiders, bites; and under names of poisonous substances, as Acetarsone; Lead; Mercury; Opium; Phosphorus; Ureides; etc.
Poliomyelitis: See also Encephalomyelitis
acute, anterior, 841
anterior: trigeminofacial cervical reaction with complete involvement of facial nucleus, 172

Poliomyelitis—Continued
antiserum obtained from horses; neutralizing effect against various strains of virus, *1261
atypical, 406
deformities in childhood, 440
epidemic acute poliomyelitis and encephalitis, both air-borne infections, 177
epidemic; attempts to transmit epidemic poliomyelitis to rabbits, guinea pigs, rats, mice, chickens and ferrets with and without depression by x-rays, 1320
epidemic; unsuccessful attempts to cultivate virus of epidemic poliomyelitis in various living tissue mediums, 1320
experimental; histopathologic studies, 172
experimental; use of sulfanilamide, 612
infantile cerebral palsy; treatment by selective inhibition of sensory stimuli, 864
prevention; effect of nasal sprays of zinc sulfate after intravenous injections of virus, *1185
prevention; prophylaxis by nasal instillation of alum, 1323
prevention, zinc sulfate prophylaxis, 838
therapy; malaria treatment of poliomyelitis, 1323
transmission; effect of nasal sprays of zinc sulfate after intravenous injections of virus, *1185
Pollen: See Anaphylaxis and Allergy; Hay Fever
Pollenosis: See Hay Fever
Polyarthritis: See under Arthritis; Rheumatic Fever
Polycythemia, peculiar syndrome of pallidal origin; erythremia with chorea, 1090
Polyneuritis: See Nerves, roots
Poncher, H. G.: Pathogenesis and treatment of myotonia congenita, *945
Poole, M. W.: Addition of vegetable soup and strained vegetables to diet of artificially fed infants, *1158
Hemoglobin differences in healthy white and Negro infants, *776
Portis, R. B.: Pathology of chronic arthritis of children (Still's disease), *1000
Potassium metabolism, fixation of potassium injected into blood stream, 877
Potts, W. J.: Acute appendicitis in children, *511
Poull, L. E.: Mental growth of epileptic children, *295
Pregnancy: See also Fetus; Labor; Maternity; Puerperium
age in; role of advanced maternal age in causing mongolism; study of 2,822 cases, *79
and hypovitaminoses of intestinal origin, 606
effects on diabetes insipidus in cat, 205
Hygiene: See under Maternity
influence on intracranial hemorrhages in newborn, 609
Pregnancy—Continued
mechanical presentation of effects and interrelations of human sex-endocrine factors during pregnancy, 1122
toxemia; progestin and estrin of 19 placentas from normal and toxemic women, 209
urine in; cryptorchidism treated with gonadotropic principle, *273
urine in; excretion of gonadotropin by normal human males after ingestion and injection of extracts of pregnancy urine, 642
Premature Infants, 401
air conditioning and effective temperature in nurseries for premature infants, 838
diameters of thorax, 1061
early anemia of; hemoglobin level of immature babies in first 6 months of life and effect during first 3 months of blood injections and iron therapy, 401
electrocardiograms of, 1063
fetal hemoglobin in, 624
normal hemopoiesis in liver at end of fetal life, 1079
nutrition; addition of vegetable soup and strained vegetables to diet of artificially fed infants, *1158
oral administration of estrin to premature babies, 606
partial chorionic degeneration of placenta with premature live fetus; report of case, 1315
prematurity as public health problem, 401
relation of delivery to cerebral disturbances, 1344
Prepuce: See Penis
Progeria, case of supposed progeria in girl aged 17 months, 205
Progestin: See under Ovary
Prontosil: See Sulfanilamide and Sulfanilamide Derivatives
Prontylin: See Sulfanilamide and Sulfanilamide Derivatives
Protamine Insulin: See under Diabetes Mellitus; Insulin
Protamine Zinc Insulin: See under Diabetes Mellitus; Insulin
Protein in Blood: See Blood, proteins
metabolism, problems of metabolism in toxic nutritional disturbances, 603
Proteose in Urine: See Urine, proteose
Protozoa: See Intestines, parasites; Leishmaniasis; etc.
Pseudohermaphroditism: See under Hermaphroditism
Pseudoleukemia, infantile: erythroblastosis neonatorum familiaris, 1317
Pseudoparalysis of Parrot in syphilitic osteochondritis, 1329
Psoriasis, observations on, 1106
Psychoses: See Neuroses and Psychoneuroses; etc.
Psychotherapy and pedagogy, 202
group activities in children's ward as method of psychotherapy, 1094

Puberty: See Adolescence
Pubic Bone, osteochondritis ischiopubica in childhood, 657
tuberculosis in children, 1102
Public health, antituberculosis work in Egypt, 416
Puerperium complicated by scarlet fever, 615
Pulse, arterial, in health and disease, 854
Punishment as aid in training child, 637
Purpura, hemorrhagic, 1330
hemorrhagic; purpura thrombocytopenia following use of sedormid (ureide preparation), 623
hemorrhagic; thrombocytopenic purpura (morbus maculosus Werlhofii) in first year of life, 856
Thrombopenic: See Purpura, hemorrhagic
Putnam, T. J.: Mentality of infants relieved of hydrocephalus by coagulation of choroid plexuses, *990
Pyelitis, persistent in children; treatment, 869
Pyelocystitis, protracted, differential diagnosis, 429
Pyelography, subcutaneous, in children, 639
Pyemia: See under Bacteremia; Septicemia; Staphylococci; etc.
Pylorus, stenosis; clinical and roentgenologic examination of children operated on because of hypertrophic pyloric stenosis, 629
stenosis, congenital, hypertrophic, 193
stenosis; congenital hypertrophic pyloric stenosis in infancy, 862
stenosis, congenital; surgical treatment, 1087
stenosis, hypertrophic; roentgen diagnosis in infant, 864
stenosis in infant, 423
stenosis, inheritance of, 1087
stenosis; modification of Rammstedt pyloroplastry, 1108
stenosis; present status of operative treatment for infants, 423
Pyuria: See under Urinary Tract

Q Fever: See Fever
Quinine, Therapy: See under names of diseases, as Myotonia

Rabies in Illinois in 1936, 845
meningitis, 181
Rachitis: See Rickets
Radiations: See Roentgen Therapy; Ultraviolet Rays; and under names of various diseases
Radiculitis: See Nerves, roots
Raiford, T. E.: Hemoglobin differences in healthy white and Negro infants, *776
Raigan, new anthelmintic fungus in teniasis, 412
Rammstedt Operation: See under Pylorus, stenosis
Ramon Anatoxin: See Diphtheria, immunity
Rapoport, M.: Cardiac complications of acute hemorrhagic nephritis, *244
Rascoff, H.: Hypoglycemia of newborn associated with hypertrophy and hyperplasia of islands of Langerhans, *330
Rash: See Roseola
Rat-Bite Fever, 1071
case report; demonstration of Spirillum minus, 178
Reading, congenital reading difficulties in school children, 1096
disability, physical condition in cases of, 866
Recklinghausen's Disease: See Neurofibromatosis
Rectum, abnormal termination, 629
adenoma in children; report of case in 30 month old girl, 1351
congenital absence of anus and rectum, with fistulous tract into prostatic urethra, associated with dextrocardia, 1060
Fistula: See Fistula
Reflex, arm-extension reflex in young infants, 1344
aural: cochleovestibular reactions in Friedreich's ataxia and similar heredodegenerative diseases, 200
plantar; modifications of Babinski toe sign in case of cerebral palsy in childhood, 865
tonic neck reflexes in children from prognostic standpoint, *696
Refrigeration, experimental studies on biologic properties of food preserved at low temperatures, 167
Respiration, effect of breathing exercises on movement of diaphragm, 1084
fetal; breathing of amniotic fluid as normal function, 828
fetal respiratory movements; historical and present day observations, *1
fetal respiratory movements; recording methods, *322
intrauterine respiratory movements of human fetus, 836
Physiology: See Vital Capacity
respiratory movements shown by roentgenkymogram, 193
Respiratory Tract: See also Bronchi; Nose; etc.
diseases; filtrable virus as cause of common cold, 1121
infection; acute hemolytic anemia during treatment with sulfanilamide, 1330
Resuscitation, mechanical, of newborn, 1062
Reticulocytes: See Anemia; Erythrocytes
Reticuloendothelial System, infectious reticuloendothelioses, with particular localization in skeleton, 1102
Reticulosarcoma: See Sarcoma
Retina, disease; lesions of fundus in essential hypertension and in arterial and retinal disease, 648
hereditary pigmentary degeneration of retina; familial connection with certain blood group, 649
Retinitis Pigmentosa: See Laurence-Biedl Syndrome

Rhabdomyomatosis, diffuse; glycogen disease, and idiopathic hypertrophy of heart, 188
Rhabdomyosarcoma: See under Sarcoma
Rheumatic Fever, acute rheumatism in childhood, 1071
annular erythema and streptococcemia in course of Bouillaud's disease, 410
bacteriology of blood in, *472
chronic rheumatism of deforming type secondary to acute articular rheumatism, 213
climate and rheumatic heart disease; survey among American Indian school children in northern and southern localities, 852
clinical types of rheumatic infection in childhood, 410
generalized rheumatic chondromalacia, 214
heart disease in Philadelphia school children, 620
heart in; basal pericarditis as sign of early rheumatic infection, 853
heart in; effect of repeated blood transfusions on erythrocyte sedimentation rate in rheumatic heart disease, 621
heart in; history of rheumatic fever in first 3 decades, 409
heart in; mechanism of impaired auriculoventricular conduction in acute rheumatic fever, 407
history in first 3 decades, 409
influence of tonsillectomy on rheumatic infection, *63
neurovegetative disturbance in acute rheumatic arthritis, 180
pathology of, 435
prevention of acute articular rheumatism, 411
prognosis and puberty, 845
rheumatic disease in childhood, 410
rheumatic erythema nodosum, *897
rheumatism in childhood; recognition and treatment, 1070
sedimentation rate in children with, 118
treatment of acute rheumatic polyarthritis with concentrated antiscarlatina serum, 1325
treatment of acute rheumatism in childhood, 178
virus in etiology of rheumatic diseases, 846
Rheumatism: See also Arthritis; and under Joints
Acute Articular: See Rheumatic Fever
chronic, of deforming type secondary to acute articular rheumatism, 213
Rhinitis, pseudomembranous, 419
Riboflavin: See Vitamins, B
Rickets: See also Vitamin, D
absorption of ingested calcium in rachitic rabbits, 160
active, associated with lead poisoning: report of case with absence of lead lines in skelton, *798
and housing in various districts of Venice, 834
Rickets—Continued
diagnosis and treatment; normal and abnormal serum phosphatase, 604
diagnosis; interpretation of roentgenograms, 604
etiology and pathology, 168
in cantons of Colmar and Andolscheim, France, 605
in early infancy in Montevideo, 1313
in schools, 605
metabolic background, 1312
Renal: See Dwarfism, renal
simulated by chondrodystrophia, 1103
treatment; effect of emulsification on potency of viosterol in children, 604
treatment orthopedic, 605
treatment; orthopedic treatment of rachitic deformities, 605
use of percomorph liver oil as antirachitic agent, *526
Ringworm, of feet; shoes as source of reinfection, 437
of scalp; clinical and experimental studies in types of infection resistant to treatment, 1106
Rittershofer, C. R.: Metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
Robb, E.: Vitamin B_1 intake of nursery school children, *544
Roddy, R. L.: Use of percomorph liver oil as antirachitic agent, *526
Roentgen Therapy: See also under names of various diseases
changes in hydrogen ion concentration of body fluids after irradiation, 831
Roentgenography: See under names of diseases, organs and regions
Rose, E. K.: Use of percomorph liver oil as antirachitic agent, *526
Rose, M. S.: Vitamin B_1 intake of nursery school children, *544
Roseola infantum; "rose-rash of infants," 1322
Ross, M. A.: Results of Schick test in 5,195 children given injections of diphtheria toxoid, *51
Ross, S. G.: Sclerema neonatorum, subcutaneous fat necrosis, *112
Roundworms: See Ascariasis; Nematodes
Rubella, acute encephalomyelitis following German measles, *496
Rubeola: See Measles; Rubella
Rubin, M. I.: Cardiac complications of acute hemorrhagic nephritis, *244
Rudnick, J.: Mental growth of epileptic children, *295
Sachs-Tay Disease: See Idiocy, amaurotic
Sacks, W. C.: Use of autogenous vaccines in treatment of asthma, 1127
Sacrococcygeal region, teratoma of, 647
Salicyl compounds, methyl salicylate poisoning, 1109

Saliva, self-cleansing of mouth, 443
Salmonella, B. paratyphosus B causing osteoarthritis in 3 cases, 1101
infection in newborn, 171
paratyphi A and B, properties of toxic substances produced by, 165
suipestifer, infections (hog-cholera bacillus) in childhood; report of case of bilateral subdural abscess ending in recovery, *553
Salts, composition of arterial blood after ingestion of salt solution, 1077
influence of salt on insensible perspiration in children, *1176
metabolism of nephrectomized rabbits; effect of injection of water or glucose solutions, 869
peculiarities of distribution of salt and water in infant, 830
Solutions: See Sodium chloride
Sanford, H. N.: Multiple epithelial cysts of oral mucous membrane in newborn infant, *340
Sarcoid, pulmonary and osseous lesions presumably due to sarcoid; case report, 192
Sarcoma, adenosarcoma; operation on patient for malignant congenital renal tumor, with recovery, 1098
lymphoblastic, of mesenteric glands in boy of 22 months, 436
lymphosarcoma of eyelid, 215
orbitopalpebral rhabdomyosarcoma, 649
reticulosarcoma in girl 18 months old, 876
Scabies, treatment; Danish method, 1106
Scalp, Diseases: See under names of diseases, as Ringworm
reticulosarcoma in girl 18 months old, 876
Scarlatina: See Scarlet Fever
Scarlet Fever, 1318: See also Streptococci
and eosinophilia, 1067
and its complications, 1320
combined with diphtheria, 614
complicated by acute cholecystitis; report of 2 cases and review of literature, *521
complications, otitic, 1069
Dick test among Chinese, 1324
epidemic of streptococcic infection in Julianehaab district of Greenland, 1072
immunity; practical significance of Dick test, 843
immunity; purification and precipitation of erythrogenic factor of scarlet fever streptococcus toxin and its antigenic value, 839
influence on tuberculous infection, 619
milk-borne epidemic, 1321
milk-borne outbreak in Doncaster, England, 612
postscarlatinal nephritis, 405
sensibility of women in childbed, 615
simultaneous scarlatina and measles, 175
surgical, 1070
therapy; results of prontosil treatment, 1066
treatment with sulfanilamide, 1115
Schick, B.: Influence of vitamin C on diphtheria toxin, *12
Schick, R. D.: Mechanical presentation of effects and interrelations of human sex-endocrine factors during menstrual cycle and pregnancy, 1122
Schick Test: See under Diphtheria
Schools, health education and services, 1314
health problems; discovery and prophylaxis of tuberculosis in school, 619
light in schoolroom, 1314
nutrition problems in education, 1313
open air schools and colonies in North and South America, 170
open air schools in United States, 170
preventive pediatrics, 1314
private; public health methods in private school, 400
Schüller-Christian Syndrome, case report, 1332 in infants, 1102
Sclera, blue, and fragilitas ossium with otosclerosis; report of case, 434
Sclerema neonatorum and lipophagic granuloma; case report, 171
neonatorum, subcutaneous fat necrosis, *112
Sclerodactylia: See Scleroderma
Scleroderma, congenital, associated with melorheostosis Léri, *1273
progressive generalized (diffuse) scleroderma with sclerodactylia and calcinosis, *135
vegetative nervous system in, 218
Sclerosis, disseminated; multiple sclerosis syndrome in child; report of case, 1342
Multiple: See Sclerosis, disseminated
Scoliosis: See under Spine
Scorbutus: See Scurvy
Scott, H. V.: Cryptorchidism treated with gonadotropic principle, *273
Gonadotropic principle in treatment of cryptorchidism; review of literature, *100
Scrofula: See Lymph Nodes, tuberculosis
Scrofuloderm: See Skin, tuberculosis
Scrotum, anomalies; abnormal termination of rectum, 629
Scurvy: See also Vitamins, C
infantile, and vitamin C, 834
urinary excretion and blood concentration of ascorbic acid in infantile scurvy, 603
Sea Baths: See Thalassotherapy
Seasons, influence on development of immunity to diphtheria in children, 1068
influence on development of immunity to diphtheria in guinea pigs, 1067
seasonal patterns and trends of communicable diseases, 174
seasonal variations in number of platelets in arterial, venous and cutaneous blood of man, 1330
Sebaceous glands, hereditary cysts, 217
Secretions, Internal: See Endocrine Glands; Endocrine Therapy
Sedormid: See Ureides
Sensitization: See under Anaphylaxis and Allergy; Immunity; etc.

Septicemia: See also under Bacteremia; and under specific organisms and diseases
causing cardiac murmurs in nurslings, 1079
Serodiagnosis, interferometry, 623
Serotherapy and Hemotherapy: See also Serum; and under names of diseases; Urinary Tract, infections; etc.
clinical uses of human serums preserved by lyophilic process, 177
infections caused by injections of maternal blood, 219
neurologic complications following administration of vaccines and serums, 1064
present status of serum therapy in pediatrics, 404
sulfanilamide, serum and combined drug and serum therapy in meningococcic and pneumococcic infections in mice, 404
Serum, Bactericidal Properties: See Blood, bactericidal properties
Convalescent: See also under Communicable Diseases; Measles; etc.
convalescent, 613
Immune: See under Diphtheria; etc.
Sickness: See under Anaphylaxis and Allergy
treatment of serum so as to remove its sickness-causing activity, 650
Sesame oil and thrombocytes, 187
Sex, difficulties in establishing sex of children, 430
Hormones: See under Hormones; and under Ovary; Placenta; etc.
Intergrades: See under Hermaphroditism
Precocious Development: See under Adolescence
Shepherd, M. L.: Hemoglobin differences in healthy white and Negro infants, *776
Shock, Anaphylactic: See Anaphylaxis and Allergy
Shoes, as source of reinfection in ringworm of feet, 437
Shwartzman phenomenon, anaphylactic gangrene following administration of horse serum: Arthus or Shwartzman phenomenon? 1018
Siegel, M.: Results of collapse therapy in children with pulmonary tuberculosis, *924
Siegling, J. A.: Melorheostosis Léri, *1273
Silberstein, A. G.: Xeroderma pigmentosum with mental deficiency; report of 2 cases, *784
Singer, B.: Results of collapse therapy in children with pulmonary tuberculosis, *924
Sinus, chronic, of face, 1101
Sinuses, nasal; chronic sinusitis in children, 189
nasal; chronic sinusitis with early bronchiectasis, 419
nasal suppuration in infancy; biologic treatment, 1082
paranasal infection; osteomyelitis of skull of otitic and paranasal sinus origin, 211
paranasal sinusitis, 1333
Skin, abnormalities; "cutis laxa ipo-elastica," 218
Skin—Continued
care of skin of newborn; 6 year study of 3,500 infants, 608
congenital absence of skin areas, 651
cutaneous dystrophy and obesity of adrenal origin, 210
Diseases: See also Dermatitis; under names of diseases, as Eczema; Herpes; etc.
diseases, allergy in dermatology; review of recent contributions, 439
diseases; influence of avitaminosis A on cutaneous infections in rats, 437
diseases; relation of diet to experimental pyogenic cutaneous infections in dogs; influence of varying carbohydrate and fat intakes and of fasting; determinations of glycogen content of skin and liver, 1107
gangrene; varicella gangrenosa due to Str. pyogenes, 1065
grafts, foreskins as skin grafts, 1108
Pigmentation: See Pigmentation
Reactions: See Anaphylaxis and Allergy; under specific headings, as Asthma; Tuberculin Reactions; etc.
tuberculosis; acute miliary tuberculosis of skin in nurslings, 876
Skull: See Cranium
Sleep, disturbances; causes and treatment in childhood, 1096
pathologic; tumors of base of brain; relation to pathologic sleep and other changes in conscious state, 425
Smallpox, perivenous changes in acute encephalitis associated with vaccination, variola and measles, 172
Vaccination: See also Encephalitis, postvaccinal
vaccination, 407
vaccination causing cases of cowpox, 838
vaccination, congenital immunity, 1067
vaccination; cytologic features of vaccinial keratitis in rabbit, 1065
vaccination followed by myelopathy, 610
vaccination; generalized vaccinia, 1321
vaccination, history, 176
vaccination; immunologic response to vaccinia in guinea pigs, 610
vaccination, intraepidermal vaccination, 174
vaccination; Jennerian vaccination in Tinghsien, China, during 7 years, 844
vaccination; need for public vaccination, 613
vaccination; parallergic vaccinal exanthem, 407
vaccination; prevention of sequelae, 843
vaccination; skin and subcutaneous revaccination, 844
Smell, sense of smell; value of tests of olfactory acuity for diagnosis of pituitary tumor, 1341
Smith, C. A.: Massive cervical hemangioendothelioma in newly born, *124
Smoking: See Tobacco

Snakes, Venom: See Venom
Soaps, skin reaction to, 438
Societies, American Bronchoscopic Society, meeting, 600
American Laryngological Association, meeting, 600
American Laryngological, Rhinological and Otological Society, Inc., meeting, 600
American Orthopsychiatric Association, annual meeting, 164
American Otological Society, meeting, 600
American Pediatric Society, new officers and members, 1058
Congress of American Physicians and Surgeons, meeting, 600
foreign, directory of, 224, 448, 660, 890, 1134, 1356
international, directory of, 224, 448, 660, 890, 1134, 1356
local, directory of, 227, 451, 663, 893, 1137, 1359
national, directory of, 225, 449, 661, 891, 1135, 1357
pediatric societies, directory of, 224, 448, 660, 890, 1134, 1356
sectional, directory of, 225, 449, 661, 891, 1135, 1357
state, directory of, 225, 449, 661, 892, 1136, 1358

Society Transactions:
Chicago Orthopaedic Society, 881
Chicago Pediatric Society, 220, 654, 879, 881, 1348
International Pediatric Congress, fourth, 652
University of Michigan Pediatric and Infectious Disease Society, 1112

Sodium Chloride: See under Diarrhea; Salts; etc.
Sontag, L. W.: Evidences of disturbed prenatal and neonatal growth in bones of infants aged 1 month, *1248
Soy beans, nutritive value; is it complete food? 166
Spasm: See Chorea; Convulsions; Epilepsy; Tic; etc.
Spasmophilia: See also Tetany
treatment with crystalline vitamin B_1, 169
Speech: See also Language
defects, disorders of speech, 1080
defects, significance of pathologic variations in twins in study of speech defects, 1082
defects, speech as emergent specificity, 1080
defects; stuttering; neuropsychiatric aspect of phenomenon, 637
defects; stuttering problem and suggested treatment, *383
defects; stutter-type child; speech index of neurotic behavior, 866
development and disorders, 190
disorder, treatment of cleft-palate speech, 625
Spence, M. J.: Bacteriology of blood in rheumatic fever, *472
Spiders, bites; arachnidism, 836
Spina bifida occulta, relation to urinary tract, 205
Spinal Cord: See Meninges; Nervous System; etc.
Spinal Fluid: See Cerebrospinal Fluid
Spinal puncture, dangers and technic, 865
Spine, abnormalities; child with long neck, 1061
curvature, lordoscoliosis; spondylolisthesis of fifth lumbar vertebra accompanied by bilateral spondylolysis in boy of 15 years, 647
postural deformities of anteroposterior curves, 435
spondylolisthesis of fifth lumbar vertebra accompanied by bilateral spondylolysis in boy of 15 showing lordoscoliosis, 647
Spleen, accessory spleens, 622
hepatosplenomegaly; idiopathic cirrhosis? 626
Hypertrophy: See Splenomegaly
Splenomegaly, splenic infantilism, 855
with lipemia, 187
Spondylolisthesis: See under Spine
Staphylococci, albus; chronic sinus of face, 1101
albus; hemoglobinophilic bacteria pathogenic to man in air passages of healthy cat, 1310
bactericidal action of pectin, 602
effect of lecithin on streptococcal and staphylococcal hemolysin, 165
pathogenic, in anterior nares; incidence and differentiation, 624
toxoid as mode of treatment, 181
Status Lymphaticus: See Lymphatism
Steeger, A.: Hospital infections; survey of problem, *579
Steiner, M. M.: Primary carcinoma of liver in childhood; report of 2 cases; review of literature, *807
Stephenson, R.: Hypochromic anemia of infants; comparison of efficacy of ferric and of ferrous iron, *1141
Still's Disease: See under Arthritis deformans
Stillbirths: See also Infant Mortality
causes of, 1315
Stokes-Adams Disease: See Heart, block
Stomach: See also Gastrointestinal Tract; Pylorus; etc.
abnormalities; malformation of upper portion of stomach in infant, 402
achylia gastrica with severe secondary anemia; case report, 1087
acidity under normal and pathologic conditions with reference to nutritional anemia, 186
hemorrhage from toxic infections of infancy, 627
hernia; congenital diaphragmatic hernia of stomach in child, 1085

Stomach—Continued
hernia; transdiaphragmatic gastric hernia, 1085
physiology; relation of size of meal to emptying time of human stomach, 1334
secretion; experimental research on reciprocal relation between modification of gastric chemism and cytohemopoiesis of young organisms, 1086
secretion; hemopoietic principle of Castle as found in gastric juice of infants, 628
torsion; report of case, 442
Ulcer: See Peptic Ulcer
Stomatitis, gangrenous; oxygen in treatment of noma of mouth in children, 1086
gangrenous, with reference to subtertian malaria as etiologic factor, 630
Vincent's: See Angina, Vincent's
Stools: See Feces
Stovarsol: See Acetarsone
Streptococci: See also Erysipelas; Meningitis; Scarlet Fever; etc.
antiserum; hemolytic streptococcus toxins and antitoxins; titration by flocculation reaction, 1309
bactericidal action of pectin, 602
effect of lecithin on streptococcal and staphylococcal hemolysin, 165
hemolytic; acute hemolytic anemia during treatment with sulfanilamide, 1330
hemolytic, causing acute cholecystitis complicating scarlet fever; report of 2 cases and review of literature, *521
hemolytic; incidence and significance of streptococci in throats of children, 856
hemolytic, infection; scarlet fever, 1318
hemolytic; modern problems in control of streptococcic diseases, 1325
infections; chemotherapy of streptococcic infections with p-benzylaminobenzene-sulfonamide, 175
infections; epidemic in Julianehaab district of Greenland, 1072
pyogenes, varicella gangrenosa due to, 1065
streptococcemia in course of Bouillaud's disease, 410
toxin, hemolytic streptococcus toxins and antitoxins; titration by flocculation reaction, 1309
viridans infection; treatment with sulfanilamide, 1115
viridans, thrombosis of ophthalmic vein during generalized infection with mastoiditis due to, 625
Struma: See Goiter
Stuttering: See Speech, defects
Sugars: See also Dextrose, Lactose; etc.
in Blood: See Blood, sugar
in Urine: See Diabetes Mellitus; Urine, sugar
Sulfanilamide and Sulfanilamide Derivatives: See also under Erysipelas; Gonorrhea; Meningitis; Pneumococci; Scarlet Fever; Streptococci; Undulant Fever; Urinary Tract, infections, etc.
Sulfanilamide and Sulfanilamide Derivatives—Continued
absorption, distribution and excretion in normal rabbits, 1116
action of para-aminophenylsulfamine on molds, 1310
clinical use of sulfanilamide and its derivatives in infectious diseases, 1324
sulfhemoglobinemia and methemoglobinemia following administration of p-aminobenzene sulfonamide, 218
toxic optic neuritis resulting from sulfanilamide, 1109
toxicity; acute hemolytic anemia during treatment with sulfanilamide, 1330
treatment; cause and prevention of sulfhemoglobinemia, 854
Sulfhemoglobinemia, cause and prevention; treatment with sulfanilamide, 854
Suprarenals: See Adrenals
Swallowing: See Deglutition
Sweat glands, congenital extodermal defect, 438
insensible perspiration in children; studies on influence of salt, *1176
Swing, A. T.: Acute cholecystitis complicating scarlet fever; report of 2 cases and review of literature, *521
Sympathectomy: See under Colon, dilatation
Syndactylia: See Fingers and Toes, abnormalities
Syphilis: See also Chancre; under names of organs and regions, as Lungs; and under names of diseases, as Meningitis
afebrile glandular and pulmonary syndrome in syphilitic newborn infant, 617
atypical poliomyelitis due to, 406
congenital, 415
congenital, and dental anomalies, 619
congenital; clinicoanatomic study of congenital pulmonary syphilis (white pneumonia), 417
congenital; dactylitis and spontaneous amputation of phalanx in syphilitic (?) infant, 618
congenital; fatal accident in infant with hereditary syphilis treated by mercurial inunctions, 1329
congenital; febrile hereditary syphilis, 618
congenital; hereditary general paralysis, 1343
congenital, in small towns and rural districts, 1327
congenital; infantile and juvenile dementia paralytica of tabetic type, 1104
congenital; late prenatal syphilis, with reference to interstitial keratitis; prevention and treatment, 1073
congenital, prevention, 182
congenital; progressive evolution of juvenile dementia paralytica in spite of intensive treatment with acetarsone in patient with heredosyphilis treated since birth, 616
congenital; syphilitic osteochondritis with pseudoparalysis of Parrot, 1329
congenital; syphilotoxemia in newborn, 1073

Syphilis—Continued
diagnosis in newborn; use of quantitative Wassermann tests, *979
evidences of actions of bismuth administered orally, 415
Hereditary: See Syphilis, congenital
Kahn and Kline tests of anticomplementary serums for diagnosis of syphilis, 851
serodiagnosis; "rapid" micro-Hinton and capillary Hinton test for syphilis; detection of syphilis by serologic methods, 415
Syringomyelia, hydromyelia in infancy, 201

Tachycardia: See Heart, rate
Takacs, W. S.: Zinc sulfate and experimental poliomyelitis; effect of nasal sprays after intravenous injections of virus, *1185
Talbot, F. B.: Basal metabolism standards for children, *455
Talbot, N. B.: Measurement of obesity by creatinine coefficient, *42
Tapeworm infestation; new anthelmintic fungus, raigan, in teniasis, 412
Tarsus, evidences of disturbed prenatal and neonatal growth in bones of infants aged 1 month, *1248
Tay-Sachs Disease: See Idiocy, amaurotic
Teeth, dental anomalies in connatal syphilis, 619
diet in relation to control of dental caries, 440
use of roentgen rays in children's dentistry, 442
Temperature, body, variations in apparently healthy children, 444
establishment of diurnal temperature cycle, 1309
Tenia: See under Echinococcosis; Tapeworm, infestation
Teratoma, sacrococcygeal, 647
Testicles, Internal Secretion of: See Androgens; Hormones; etc.
small, associated with long neck, 1061
undescended, *1037
undescended; cryptorchidism treated with gonadotropic principle, *273
undescended; differential diagnosis of pseudocryptorchidism and true cryptorchidism, 1096
undescended; evaluation of hormone therapy, 203
undescended; gonadotropic principle in treatment of cryptorchidism; review of literature, *100
undescended; treatment of cryptorchidism, 1345
undescended; treatment of hypogenitalism, 1096
undescended; treatment with anterior pituitary-like substance, 203
Tetanus problem and tetanus toxoid, 1114
toxoid, active immunization against tetanus, 178
Tetany: See also Spasmophilia
infantile, 1340

Tetany—Continued
parathyroid; blood chemistry of surviving parathyroidectomized dogs, 206
with diplopia in adolescent; report of case, 632
Tetrachlorethylene: See under Oxyuriasis
Tetralogy of Fallot: See Heart, abnormalities
Thalassotherapy, speed of sedimentation of red cells in patients with tracheobronchial adenopathy during sojourn at seashore, 183
Thallium, influence in therapeutic and toxic doses on complementary and opsonic power of blood serum, on bactericidal power of whole blood and on velocity of sedimentation of blood corpuscles, 829
Thaysen-Gee Disease: See Celiac Disease
Thomsen's Disease: See Myotonia congenita
Thorax: See also Chylothorax; Heart; Lungs; Mediastinum; Pleura; etc.
diameters in viable premature infants, 1061
involvement of chest, 1120
Throat: See also Larynx; Otorhinolaryngology; Tonsils; etc.
bacteriology; incidence and significance of hemolytic streptococci in throats of children, 856
infections; modern problems in control of streptococcic diseases, 1325
Thrombocytes: See Blood, platelets
Thrombopenia: See under Blood, platelets; Purpura
Thrombosis of ophthalmic vein during generalized infection with mastoiditis; Str. viridans in blood culture, 625
sinus, cerebral, in children, 631
Thumb: See Fingers and Toes
Thymus and pineal glands, 209
biological effects of thymectomy, 1099
function of thymus and water metabolism, 1346
hypertrophy; relation of thymus to endocrine function of pancreas, 644
Thyroglossal Fistula: See Fistula
Thyroid, Diseases: See also Goiter
diseases in children, 872
diseases; therapy of neglected thyropituitary disease at age of puberty, 1099
hyperthyroidism; choline-esterase activity of human serum, with reference to hyperthyroidism, 643
Hypothyroidism: See also Cretinism; Myxedema
hypothyroidism as cause of disease of hip, *1189
hypothyroidism; condition resembling chondrodystrophia, 1103
hypothyroidism; late results of treated hypothyroidism in childhood; 2 case reports, 208
influence on vitamin C reserves, 1060
physiology; specificity of thyrotropic action of anterior pituitary gland, 871
preparations; action of thyroid hormone on excessive fats in mother's milk, 830

Thyroid—Continued
preparations; clinical results of anterior pituitary and thyroid therapy in children, 871
preparations, effect of female sex hormones on oxygen consumption rate of normal rats and on tolerance to desiccated thyroid, 206
preparations; endocrine therapy in epilepsy, 1339
preparations, influence of thyroid on vitamin C reserves, 1060
primary hyperplasia in 1 of stillborn twins, 872
surgery; effect of thyroidectomy on ketonuria and liver fat content of albino rat after injections of anterior pituitary extract, 871
surgery; total thyroidectomy for human diabetes insipidus, 872
therapy in myotonia congenita, *945
thyroidectomy, effects on diabetes insipidus in cat, 205
Thyroxin, action on hereditary hypophysial infantilism in mice, 210
Tic, myotonic, of pectoral muscles, 1089
Ticks, wood tick paralysis in children, 1341
Tobacco: See Nicotine
Todd, T. W.: Objective ratings of constitution of growing child based on examination of physical development and mental expansion, *149
Toes: See Fingers and Toes
Tongue, cirsoid aneurysm, 187
Tonsillectomy, bacteremias after, 191
by short wave, 859
indications and contraindications, 857
influence on rheumatic infection, *63
short wave coagulation, 858, 859
treatment of peritonsillar abscess, 1082
Tonsillitis: See under Tonsils
Tonsils, Abscess: See Abscess, peritonsillar
milk-borne outbreak of tonsillitis in Doncaster, England, 612
prenatal and postnatal development and form of crypts of human palatine tonsil, 1332
significance of tonsillectomy in diphtheria carriers, 1069
Toomey, J. A.: Poliomyelitis antiserum obtained from horses; neutralizing effect against various strains of virus, *1261
Zinc sulfate and experimental poliomyelitis; effect of nasal sprays after intravenous injections of virus, *1185
Topper, A.: Insensible perspiration in children; studies on influence of salt, *1176
Torticollis, child with long neck, 1061
Tower Head: See Acrocephaly
Towsley, H. A.: Use of sulfanilamide in hospital for contagious diseases, 1115
Toxemia: See also Pregnancy, toxemia
alimentary; continuous intravenous therapy in treatment of intestinal intoxications, 628
alimentary; guanidinemia in alimentary intoxication of infants, 422
Toxemia—Continued
alimentary; problems of metabolism in toxic nutritional disturbances, 603
epidemic gastrointestinal intoxication, 626
increased occurrence of toxicosis, 629
treatment of intoxication in infants by continuous intravenous instillation (method of Karelitz and Schick), 1336
Toxin and Antitoxin: See under Diphtheria; Serum; Staphylococci; etc.
Toxoid: See under Diphtheria; Staphylococci; Tetanus; etc.
Trachea, acute laryngotracheobronchitis, *667
Fistula: See Fistula
perforation, sudden death caused by perforation of trachea by caseous paratracheal gland, 1077
ulcerative tuberculous tracheobronchitis, 848
Trachoma prophylaxis for children, 1104
Transfusion: See Blood, transfusion
Trematodes: See Distomiasis; etc.
Trendelenburg Phenomenon: See Hip Joint
Trichinosis, outbreak of trichiniasis in central Ohio; use of Bachman intradermal skin test, 408
Tryptophan in Cerebrospinal Fluid: See under Cerebrospinal Fluid
Tubercle Bacilli, bovine; mixed infections with human and bovine tubercle bacilli in human subject, 616
effect of synthetic ascorbic acid on growth of tubercle bacillus, 414
tryptophan reaction in cerebrospinal fluid, 200
Tuberculin Reactions, allergy to tuberculin in animals treated with BCG, 850
clinical significance of graduated intracutaneous tuberculin reactions in children, 851
diagnosis of tuberculosis in children by means of serologic reactions, 1312
erythema nodosum as evidence of increased allergy to tuberculin; appearance following tuberculin reactions, 618
in comparison with roentgenographic findings, 415
prognostic significance of von Pirquet cutaneous reaction in adults, 616
summary of results of group tuberculin-testing with P. P. D. (purified protein derivative) in United States; final report of National Tuberculosis Association, 413
tuberculin allergy produced by parenteral BCG vaccination, 848
Tuberculoma, intracranial; record of 4 cases, 631
multiple, in brain of child, 633
Tuberculosis: See also Tubercle Bacilli; and under names of organs, regions, etc., as Bones; Bronchi; Joints; Larynx; Lymph Nodes; Skin; etc.
and urinary output of vitamin C of children; laboratory test for estimation, *1212
and zona, 618

Tuberculosis—Continued
antituberculosis work in Egypt, 416
assistance to children of tuberculous parents, 183
BCG vaccine, allergy to tuberculin in animals treated with BCG, 850
BCG vaccine, attempts at dissociation and increase of virulence, 414
BCG vaccine, method of BCG cultivation and vaccine production as practiced at Pasteur Institute and Tice Laboratories, 414
BCG vaccines; results of treatment of eczema in infants with BCG, 650
certain aspects of tuberculosis in childhood, 1326
childhood type, 182
complicated by intracranial tuberculomas; record of 4 cases, 631
complicated by whooping cough; active immunization of tuberculous children against whooping cough with Sauer's vaccine, 1320
Complications and Sequels: See Erythema nodosum
complications; diabetes and tuberculosis, 872
complications; supposed influence of whooping cough, measles and scarlet fever on tuberculous infection, 619
contagiousness, 653
Diagnosis: See also Tuberculin Reactions
diagnosis in children by means of serologic reactions, 1312
early; factors which influence evolution of tuberculosis in its early forms, 1074
early; organic instability of tuberculous young children, 1076
experimental; effect of irradiated milk compared with that of vitamin D oils on inhalation tuberculosis of guinea pigs, 413
experimental; effects of vitamin D deficiency on tuberculosis in rabbit, 413
experimental; evidence of protective influence of adrenal hormones against tuberculosis in guinea pigs, 414
hematogenous, protracted, with predominant involvement of heart, 413
in childhood, 848
in infancy, 183
in relation to erythema nodosum, *897
in wild voles, 182
incidence among Chinese children, 417
Meningitis Due to: See Meningitis, tuberculous
mild; common disorder of tuberculous infants, 849
miliary, acute, of skin in nursling, 876
miliary, chronic; "granulie froide" in children, 617
miliary, in child; cure maintained after 9 years, 1074
milk-borne epidemic, 1077
peritoneal, 184

Tuberculosis—Continued
primary; experimental data on role played by dosage in evolution of primary tuberculous infection; experimental infection in monkeys, 1075
primary; influence of age on evolution and prognosis of primary stage of tuberculous infection, 1075
primary, summary of 100 cases observed in Parisian children from 2 to 16 years old, 617
primary-secondary; prognosis and treatment in child; influence of added exogenous infection on evolution of primary tuberculous infection, 1074
problem in childhood; modern studies on ultravirus, 653
prognosis of perifocal and typhoid-like tuberculous reactions in children, 1076
prognostic significance of von Pirquet cutaneous reaction in adults, 616
prophylaxis and therapy, 653
prophylaxis and treatment; report of French commission of hygiene and social assistance, 835
prophylaxis; contagion in tuberculosis, 851
prophylaxis; Edinburgh scheme, 1887-1937, 849
prophylaxis in children, 183
prophylaxis in school, 619
pulmonary and multiple tuberculomas in brain of child, 633
pulmonary; bilateral pneumothorax in tuberculosis in early childhood, 183
pulmonary; comparative study of tuberculin reactions and roentgenographic findings, 415
pulmonary; diagnosis in childhood, 850
pulmonary; effect of irradiated milk on experimental inhalation tuberculosis in guinea pigs, 848
pulmonary; erythrocyte sedimentation test; correction for variations in cell volume applied to graphic method, 624
pulmonary, excretion of vitamin C in, 833
pulmonary, in children, 1327
pulmonary, in infancy, 619
pulmonary; observations in children, 1328
pulmonary; origin of juvenile tuberculosis, 184
pulmonary; primary tuberculous appendicitis and appendicitis complicating tuberculosis, 420
pulmonary; problem of contagiousness in childhood, 1076
pulmonary; results of collapse therapy in children, *924
pulmonary; sudden death caused by perforation of trachea by caseous paratracheal gland, 1077
pulmonary, with left-sided diaphragmatic paresis, primary glandular tuberculosis and verrucous lupus in child 2½ years old, 618
secondary; clinical aspects in children, 1074

Tuberculosis—Continued
surgical; preventive therapy and orthopedics in children, with special consideration of congenital malformations, 442
Tuberculin Reactions: See Tuberculin Reactions
tuberculous meningoencephalitis and Froin's syndrome; case report, 417
variability in forms of recent tuberculous infection, contradicting theory of Ranke, 1075
variations in frequency of active and inactive tuberculosis in children's clinic from 1921 to 1935, 617
Tularemia, therapy; metaphen given intravenously, 1325
Tumors: See also Adenoma; Cancer; Sarcoma; etc.; and under names of organs and regions
inheritance of ectomesodermal blastomatoses, with reference to familial tumor of brain, 633
Twins, artificially fed; effect of addition of vegetable soup and strained vegetables to diet, *1158
Buhl's disease in; etiology and pathogenesis, 1317
delivered by cesarean section in case of hereditary achondroplasia, 1102
heredity and epilepsy in, 1091
identical; encephalitic syndrome with transitory blindness but without ophthalmologic signs in twin girls, 426
primary hyperplasia of thyroid in 1 of stillborn twins, 872
significance of pathologic variations in study of speech defects, 1082
Werdnig-Hoffmann paralysis in elder of twins, 866
Typhoid, Bacilli: See Bacteria, typhoid group
bacteriophage; passage from blood to cerebrospinal fluid, 1093
complicated by parotitis, 180
encephalitis; differentiation from infectious encephalomeningitis, 181
hepatic type in children, 179
immunity, typhoid endotoxoid immunization in closed European communities, 409
incubation period, 1071
peritonitis following rupture of suppurative mesenteric gland in course of typhoid, 1071
proteose substance of Oriel in typhoid; therapeutic use, 847
vaccines, potency when freshly prepared and after storage, 408
vaccines, protective antibodies in blood serum of individuals after immunization with typhoid vaccine, 178

Ulcers: See also under names of organs and regions
Peptic: See Peptic Ulcer
Ultraviolet Rays, absorption of rays by cerebrospinal fluid, 1343
sterilization of air in infants wards, *591
used in preventing cross infections in infant's and children's hospital, 220
Umbilical cord, oxygen dissociation curve of hemoglobin in umbilical blood of newborn; gases in umbilical blood, 1317
Umbilicus; nuclear jaundice in neonatal (umbilical) sepsis with jaundice, 608
Undulant Fever, case report, 179
considerations and investigations on occurrence of brucellosis in infancy, 180
successful treatment of Bang's disease with prontosil (derivative of sulfanilamide), 412
Ureides, purpura thrombocytopenia following use of sedormid (ureide preparation), 623
Uremia causing death in case of renal glycosuria, 870
Urethra, congenital urethral valves, 640
Urinary Tract: See also Genitals; Genitourinary Tract; Kidneys; etc.
abnormalities and spina bifida occulta, 205
diseases; limits of normal in urologic conditions during childhood, 640
disorders; urologic conditions in children, 427
Infections: See also Nephritis; Pyelitis; etc.
infections; bactericidal power of urine after administration of prontylin (sulfanilamide) by mouth, 204
infections; para-aminobenzenesulfonamide in treatment of B. coli infections of urinary tract; note on 2-plate bacterial count, 869
infections; rate of excretion and bactericidal power of sulfanilamide (prontylin) in urine, 639
infections; specific serum in treatment of colon bacillus infections, 428
infections; treatment of inflammation of pelvis and bladder with ammonium mandelate, 640
infections; treatment with calcium mandelate, 428
infections; treatment with derivatives of sulfanilamide, 430
pyuria; differential diagnosis of protracted pyelocystitis, 429
urography in infants, 1098
Urination, incontinence; effect of benzedrine sulfate on enuresis, 868
incontinence; enuresis in children; report of 70 cases, 428
incontinence; ephedrine in treatment of enuresis, 1097
incontinence; treatment of bed wetting, 204
Urine: See also Diuresis and Diuretics; Urination; under names of diseases; etc.
Acetone: See Urine, ketone bodies
Ascorbic Acid: See Vitamins, C
creatine and creatinine excretion in myotonia congenita, *945

Urine—Continued
creatinine; relation of creatinine-height coefficient to various indexes of nutrition, *532
extravasation and reflux, 639
Hormones in: See under Hormones; Pregnancy, urine in
ketone bodies; effect of adrenalectomy and thyroidectomy on ketonuria of albino rat after injections of anterior pituitary extract, 871
ketone bodies; rhythm in excretion of acetone, 167
measurement of obesity by creatinine coefficient, *42
phenols; elimination of volatile phenols in rabbit urine after administration of "calcium creosotate solution" and of creosote solution, 445
proteose substance of Oriel in typhoid; therapeutic use, 847
sediment; Addis count in children after acute hemorrhagic nephritis, 427
sugar; case of renal glycosuria; death from uremia, 870
Vitamins in: See Vitamins
Urography: See under Urinary Tract

Vaccination: See also Immunity; under names of various diseases, as Smallpox, vaccination; etc.
Encephalitis Following: See under Encephalitis
Vaccine Therapy: See also under Acne; Tuberculosis; etc.
neurologic complications, 1064
Vaccines: See under Smallpox; Typhoid; etc.
Vaccinia: See Cowpox; Smallpox, vaccination
Vaginitis: See Gonorrhea
Vahlteich, E. M.: Vitamin B_1 intake of nursery school children, *544
Valls, J.: Motion picture demonstration of treatment of fracture of femur, 885
Varicella: See Chickenpox
Variola: See Smallpox
Vasomotor System, disturbances; relation of fungus infection of grain crops to vasomotor disturbances in man, 177
Haiman correlation of vasomotor symptoms associated with nasal manifestations in children, 189
vasomotor mechanism of lungs, 625
Vegetables as factor in spread of A. lumbricoides; control of fecal-borne diseases in North China, 1072
effect of cooking on antiscorbutic value of vegetables, 399
Veins, venous puncture in child, 877
Venereal Diseases: See Chancre; Gonorrhea; Syphilis
Venoclysis: See Injections, intravenous
Venom, snake venom in hemorrhagic states, 620
Ventilation, air conditioning and effective temperature in nurseries for premature infants, 838
Ventriculography: See under Brain, roentgenography
Verruca, simultaneous disappearance of warts and scabs of chickenpox, 1322
Vestibular Apparatus: See Reflex, aural
Vincent's Angina: See under Angina
Viosterol: See also under Rickets
effect of emulsification on potency of viosterol in treatment of rickets in children, 604
Viruses, culture of virus of lymphocytic choriomeningitis in developing chick embryo, 397
filtrable, immunologic reactions, 829
Vision: See also Blindness; and under Eyes; etc.
defects; physical condition in cases of reading disability, 866
Vital capacity of lungs, variability in youth, 191
Vitamins: See also Cod Liver Oil; Deficiency Diseases; Diet and Dietetics; Milk; Rickets; etc.
A: See also Cod Liver Oil
A activity of butters determined by various methods, 831
A deficiency, dark adaptation technic (biophotometer) used in measurement of vitamin A deficiency in children, 1313
A deficiency in rhesus monkey; studies on gastrointestinal tract, blood and nervous symptoms, 168
A deficiency in standard diet group, 169
A in treatment of burns, 443
A, influence on cutaneous infections in rats, 437
A intake, dark adaptation as index of, 832
B complex; clinical and experimental study with reference to growth and constipation, 1059
B deficiency and nutritional heart disease in children, *750
B deficiency, peptic digestion in; enzymic efficiency in avitaminosis, 168
B, lactoflavine in human milk, 1311
B_1 intake of nursery school children, *544
B_1, treatment of spasmophilia with crystalline vitamin B_1, 169
C: See also Scurvy
C and anaphylaxis, 650
C and diphtheria toxin, 173
C and infection; excretion of vitamin C in osteomyelitis, 833
C and pigment, 1059
C, blood concentration of ascorbic acid in infantile scurvy, 603
C, cevitamic acid, 1122
C; effect of cooking on antiscorbutic value of vegetables, 399
C, effect of stimulation of adrenal gland on content of ascorbic acid, 872

Vitamins—Continued
C: effect of synthetic ascorbic acid on growth of tubercle bacillus, 414
C, effect on fibrinogen and other coagulation factors in blood of child, 418
C: excretion and retention of cevitamic acid in women and children, 399
C excretion in diphtheria, 1065
C excretion in pulmonary tuberculosis and rheumatoid arthritis, 833
C hypervitaminosis; changes in central nervous system after experimental C hypervitaminosis, 1060
C hypovitaminoses of intestinal origin and pregnancy, 606
C, influence on diphtheria toxin, *12
C; relation of ascorbic acid ingestion to mineral metabolism in children, 1059
C, relation to liver function, 1313
C reserves, influence of thyroid on, 1060
C, urinary output of normal and of sick children; laboratory test for estimation, *1212
D: See also Cod Liver Oil; Rickets; Viosterol
D deficiency, effects on experimental tuberculosis in rabbit, 413
D hypervitaminosis, 1312
D in child health, 399
D metabolism; mode of action of vitamin D and importance of liver for its antirachitic efficacy, *913
D oils, effect of irradiated milk compared with vitamin D oils on inhalation tuberculosis of guinea pigs, 413
Deficiency: See Deficiency Diseases; Rickets; Scurvy; etc.; and under specific vitamins
E, relation to anterior lobe of pituitary gland, 833
experimental studies on biologic properties of food preserved at low temperatures, 167
F ointments, 875
in infant nutrition, 399
problem; aspects of scientific and practical interest, 606
relation to control of dental caries, 440
Volvulus: See under names of organs, as Intestines, volvulus
Vomiting, cyclic; pathologic background of vomiting with acetonuria, 1337
habitual, in infancy, 195
in infancy, 194
recurrent in children; etiology and treatment, 421
with acetonemia; pathogenic and therapeutic considerations, 628
Vulvovaginitis, Gonorrheal: See Gonorrhea

Wade, H. W.: Pathogenesis and treatment of myotonia congenita, *945
Wallgren, A.: Rheumatic erythema nodosum, *897
Wang, C. C.: Metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27
Ward, D.: Diet in treatment of diabetes mellitus in children, *487
Waring, J. I.: Nutritional heart disease in children, *750
Warkany, J.: Relation of endocrine disturbances to certain heredodegenerative symptoms, *231
Warts: See Verruca
Washburne, C.: Living philosophy of education, 879
Wassermann Reaction: See also under Syphilis effect of mumps on, 405
Water, Metabolism: See also Dehydration; Diuresis and Diuretics; Edema; Sweat
and function of thymus, 1346
in early infancy; relation to problem of artificial feeding, 652
in relation to convulsions, 1340
of nephrectomized rabbits; effect of injection of water or glucose solutions, 869
Waterhouse-Friderichsen Syndrome: See Adrenals, hemorrhage
Waugh, T. R.: Sclerema neonatorum, subcutaneous fat necrosis, *112
Weaning: See Infant Feeding
Weight: See under Body; Obesity
Weil's Disease: See Jaundice, spirochetal
Weltmann Reaction: See Blood, coagulation
Werdnig-Hoffmann Paralysis: See Atrophy, muscular
Werlhof's Disease: See under Purpura
Werner, M.: Infections with S. suipestifer (hog-cholera bacillus) in childhood; report of case of bilateral subdural abscess ending in recovery, *553
Whitaker, W. L.: Mechanical presentation of effects and interrelations of human sex-endocrine factors during menstrual cycle and pregnancy, 1122
Whooping Cough, bacteriologic diagnosis, 1322
can one have whooping cough twice? 176
complicated by hemorrhagic purpura, 176
experimental infection with H. pertussis produced in mouse by intranasal inoculation, 1064
extreme degree of leukocytosis in, 842
immunization: active immunization of tuberculous children against whooping cough with Sauer's vaccine, 1320
immunization; experiments on active and passive immunity in guinea pigs against H. pertussis, 611
immunization; opsonocytophagic test in study of pertussis, 611
immunizing fractions isolated from H. pertussis, 1322
influence on tuberculous infection, 619
lymphatic leukemia with pertussis, 621

Whooping Cough—Continued
newer aspects of whooping cough problem, 173
pertussis in Brazil, 1323
prevention; municipal control, 1063
prevention; studies on pertussis bacillus; effects of introduction of pertussis antigen into nasal passages, 838
therapy; gold tribromide in treatment of pertussis, 404
therapy; treatment of pertussis with specific soluble antigen, 611
therapy; treatment with cevitamic acid, 1122
with acute cerebral convulsions in infant, 1090

Wilens, G.: Adenoma of liver, *792

Wilson's Disease: See Lenticular Nucleus, degeneration

Wing, M.: Metabolic study of 5 children with nephrotic syndrome; report on certain constituents of blood, basal metabolism and energy exchange, *27

Witzberger, C. M.: Erythema multiforme exsudativum accompanying oral Vincent's infection, *573

Wolff, E.: Hysterical blindness in children; report of 2 cases, *743

Worms: See Hookworm Infestation; Intestines, parasites; etc.

Wrist, epiphysial development in hypothyroidism, *1189

Wyatt, O. S.: Double colic intussusception, *1031

Xanthochromia, Froin's syndrome in patient with tuberculous meningoencephalitis, 417

Xanthoma tuberosum and xanthoma palpebrarum, observations on, 1106

Xanthomatosis: See Schüller-Christian Syndrome; Xanthoma

Xeroderma pigmentosum with mental deficiency; report of 2 cases, *784

Ya tan tzu, new specific for amebic dysentery, 412

Zinc Sulfate: See Poliomyelitis, prevention

Zona: See Herpes Zoster